



KWC Luna E5 window fitting

Product number: 5022239

Configuration: chrome, high pressure

Configuration options

5022239 | chrome, high pressure


- ✓ Sink faucet
- ✓ high pressure
- ✓ Swivelling

Single lever faucet. With swivelling/pull-out hose with shower head (can be switched to stream or shower) and ceramic cartridge.

— height when tilted only 55 mm

— swivel range 130°

— drill Ø 35 mm




[more infos...](#)

Technical data

Article type	Sink faucet	Type of fitting	Single lever faucet
Brand	KWC	Operating pressure	high pressure
Number of handles	1	Width	49 mm
Total installation height	230 mm	Material	Zamak (zinc die-cast)
Outreach	220 mm	Hose thread	3/8"
Outlet	Swivelling Extractable	Worktop thickness	45 mm
Discharge height	174 mm	Window fitting	Yes
Operating mode	Lever	TouchProtect	Yes
Drilling diameter	35 mm	Number of tap holes	1
Handle position	top	Convertible jet/shower	Yes
Manufacturer's warranty	5 years manufacturer's warranty 10-year after-sales guarantee on spare parts	Spring-guided hose shower	No
Cartridge with ceramic sealing discs	Yes	Height tilted	55 mm
Swivel range outlet	130°	Angle of inclination of aerator	15 °
Factory customer service	Yes	Type of hose shower	Integrated hose spray

Dimensional sketch (PDF)

KWC LUNA E

KWC


KWC-Nr.	Oberfläche
10.441.053.000FL	ganzchrom
A 220, flexible Anschlusschläuche, wegnehmbar	

Küche
wegnehmbar

- Hebelmischer
- Wegnehmbar für Unterfenstermontage - Einbaumaß 55 mm
 - TouchProtect - Schutz vor Verbrennungen durch Zweischalenprinzip
 - Auszugbrause
 - SprayClean - aktive Kalkbeseitigung und schnelle Siebreinigung
 - bis 600 mm ausziehbar
 - PowerClean - Siebstrahlmodus, mit Rückstellautomatik
 - Schlauchdurchführung, schwenkbar 130°
 - EasyLock - einfache Auszugbrausenrückführung
 - KWC Steuerpatrone M 35
 - mit Keramikscheibentechnik
 - Auslaufmenge und Temperatur stufenlos einstellbar
 - Flexible Anschlusschläuche 3/8"
 - Befestigung mit Gewindestutzen M35 x 1.5 (Vormontagesockel)
 - Tischbohrung ø35 - 37 mm

Sortiments, Modell- und technische Änderungen vorbehalten. Massangaben in mm.

www.kwc.com 14.04.2020