


SERVIZIO Namor® 3

Product number: 5025142
Configuration: rosé-gold, with laminar aerator, high pressure

Configuration options

5025005 | stainless steel, with laminar aerator, high pressure
5025006 | black matt, with laminar aerator, high pressure
5025015 | stainless steel, without laminar aerator, low pressure
5025016 | black matt, without laminar aerator, low pressure
5025044 | gunmetal, with laminar aerator, high pressure
5025141 | brushed-gold, with laminar aerator, high pressure
5025142 | rosé-gold, with laminar aerator, high pressure

✓ Sink faucet
✓ high pressure
✓ with swivelling outlet

Single lever faucet. With swivelling outlet, side lever and ceramic cartridge.
— swivel range 120°
— drill Ø 35 mm
— corresponds to the German and European drinking water regulation/directive

EDELSTAHL Rostfrei

KERAMISCHE DICHTUNG

more infos...

Naber GmbH
Enschedestr. 24
DE-48529 Nordhorn

Tel. +49 5921 704-0
Fax +49 5921 704-140
naber@naber.com

Technical data

Article type	Sink faucet	Type of fitting	Single lever faucet
Brand	SERVIZIO	Operating pressure	high pressure
Number of handles	1	Width	48 mm
Total installation height	306 mm	Material	stainless steel
Height	306 mm	Surface/coating	PVD coating
Outreach	220 mm	Swivel range handle	0 °
Outlet	with swivelling outlet	Cartridge size	25 mm
Discharge height	280 mm	ECO function	energy-saving cold start function
Operating mode	Lever	Max. Flow rate at 3 bar	12,5 l/min
Drilling diameter	35 mm	Flow rate at 3 bar (cold)	9,5 l/min
Handle position	side lever	Flow rate at 3 bar (hot)	9,5 l/min
Lever length	106 mm	Flow rate at 3 bar (mix)	12,5 l/min
Cartridge with ceramic sealing discs	Yes	Size laminar flow regulator	M18,5x1
Swivel range outlet	120°	Connection hoses	700 mm
Beam type	Laminar beam		

Naber GmbH
Enschedestr. 24
DE-48529 Nordhorn

Tel. +49 5921 704-0
Fax +49 5921 704-140
naber@naber.com

Dimensional sketch (PDF)

