




PickUP F

Product number: 1091013

Configuration: nero

Configuration options

1091011 | white glossy
 1091012 | slate
 1091013 | nero
 1091014 | lava
 1091015 | white matt

- ✓ Flush mounted sink
- ✓ Built-in sink
- ✓ ceramic

Built-in sink for flush mounting. Ceramic, single bowl with second level, reversible, 3½" basket strainer valve flush with premium rotational excenter fitting, chromed, drill hole 1 + 2 drilled through.

— suitable for worktop thicknesses from 30 mm

— requires beading all round or a support bar (beading depth 25 mm, beading width 8 mm)

— cutout dimensions approx. 550 x 490 mm, R 12 mm

Design by Hans Winkler Design, Grafenau.



[more infos...](#)


Technical data

Article type	Sink	Height main sink	185 mm
Height	320 mm	Depth main sink	429 mm
Width	546 mm	Flushing radius (R)	10
Material	ceramic	Material thickness worktop minimum	30 mm
Designer	Design by Hans Winkler Design, Grafenau.	Number of tap holes	1
Note	requires beading all round or a support bar (beading depth 25 mm, beading width 8 mm) we recommend using a faucet with pull-out spout or shower head Sink with milled outer edge for flush mounting. Worktop thickness min. 30 mm. Attention: In the cutout, a chamfer of 2 mm x 45° has to be applied to the upper edge!	Armature bench	Yes
		Number of holes	2
		Arrangement sinks	Reversible
		Number of sinks	1 main sink
		Number of overflow points	1
Cabinet width	600 mm	Draining board	With integrated drainer
Cut-out dimension	approx. 550 x 490 mm, R 12 mm	Garnish actuation	Chrome-plated rotary eccentric
Excenter fitting	Eccentric set, chrome-plated		
Valve type	3½" basket strainer valve flush		
Overflow	Overflow in the main basin		
Installation variant	Flush mounted sink Built-in sink		
Main sink width	293 mm		

Recommendations

1091027	Premium rotational excenter, Accessory, nero
1091036	Premium rotational excenter, Accessory, chrome
1091037	Premium rotational excenter, Accessory, stainless steel

Dimensional sketch (PDF)



Installation dimensions (PDF)

