

## KWC Luna E7

Product number: 5022248

Configuration: black matt, high pressure

### Configuration options

5022242 | chrome, high pressure


5022248 | black matt, high pressure

- ✓ Sink faucet
- ✓ high pressure
- ✓ Swivelling

Single lever faucet. With swivelling/pull-out hose with shower head (can be switched to stream or shower), side lever and ceramic cartridge.

— swivel range 360°

— drill Ø 35 mm




[more infos...](#)

## Technical data

|                                      |                                                                                    |                                          |                       |
|--------------------------------------|------------------------------------------------------------------------------------|------------------------------------------|-----------------------|
| Article type                         | Sink faucet                                                                        | Type of fitting                          | Single lever faucet   |
| Brand                                | KWC                                                                                | Operating pressure                       | high pressure         |
| Number of handles                    | 1                                                                                  | Width                                    | 45 mm                 |
| Total installation height            | 315 mm                                                                             | Hose thread                              | 3/8"                  |
| Outreach                             | 215 mm                                                                             | Worktop thickness                        | 45 mm                 |
| Outlet                               | Swivelling<br>Extractable                                                          | Swivel range handle                      | 90 °                  |
| Discharge height                     | 178 mm                                                                             | TouchProtect                             | Yes                   |
| Operating mode                       | Lever                                                                              | Number of tap holes                      | 1                     |
| Drilling diameter                    | 35 mm                                                                              | Convertible jet/shower                   | Yes                   |
| Handle position                      | right                                                                              | Spring-guided hose shower                | No                    |
| Manufacturer's warranty              | 5 years manufacturer's warranty<br>10-year after-sales guarantee on<br>spare parts | Length shower hose                       | 400 mm                |
| Cartridge with ceramic sealing discs | Yes                                                                                | Minimum distance wall to centre tap hole | 0 mm                  |
| Swivel range outlet                  | 360°                                                                               | Angle of inclination of aerator          | 15 °                  |
| Factory customer service             | Yes                                                                                | Type of hose shower                      | Integrated hose spray |

## Dimensional sketch (PDF)

## KWC LUNA E

**KWC**


| KWC-Nr.                           | Oberfläche |
|-----------------------------------|------------|
| <b>10.441.004.000FL</b>           | ganzchrom  |
| A 215, flexible Anschlusschläuche |            |

**Küche**
**Hebelmischer**

- Positionierung des Hebels nur rechts möglich
  - Sicherheit für Kinder: Kaltwasser bei Hebelposition vorne
- Abstand Wand zu Mitte Tischbohrung min. 25 mm
- TouchProtect - Schutz vor Verbrennungen durch Zweischalenprinzip
- Ausziehbare Umstellbrause
  - Neoperl® Cascade®
  - PowerClean - Siebstrahlmodus, mit Rückstellautomatik
  - bis 400 mm ausziehbar
  - schwarzer Gewebeschlauch
  - QuickConnect - Einfaches Schlauchstecksystem
- SwivelStop - Schlauchdurchführung, schwenkbar 360° , begrenzt auf 150°
- KWC Steuerpatrone M 35 S
  - mit Keramikscheibentechnik
  - Auslaufmenge und Temperatur stufenlos einstellbar
- Flexible Anschlusschläuche ½"
- QuickInstallation - Befestigung mit Gewindestutzen M33 x 1.5 mit Feststellschrauben
- Tischbohrung ø35 mm

Sortiments, Modell- und technische Änderungen vorbehalten. Massangaben in mm.

www.kwc.com 14.04.2020