




Corno Piu PFU11

Product number: 1013120
Configuration: stainless steel, bowl right

Configuration options


1013120 | stainless steel, bowl right
1013121 | stainless steel, bowl left

✓ Built-in sink
✓ Sub-structure bowl
✓ Flush mounted sink

Built-in/sub-structure sink. With half sink. Both bowls with 3½" drain and spill-over fitting and basket strainer valve flush with the bottom. When using the mounting brackets supplied, the installation width required increases by approx. 30 mm per side in case of the sub-structure sink.

Flat edge: also suitable for flush installation

— cut-out dimensions ca. 545 x 430 mm (built-in sink)
— cut-out dimensions ca. 515 x 400 mm (substructure sink)
— suitable for worktop thicknesses from 10–40 mm (built-in sink) and 20 mm (substructure sink)
— **without half sink insert**



more infos...

Naber GmbH
Enschedestr. 24
DE-48529 Nordhorn

Tel. +49 5921 704-0
Fax +49 5921 704-140
naber@naber.com

Technical data

Article type	Sink
Height	327 mm
Width	555 mm
Material	stainless steel
Note	when using the mounting brackets supplied, the installation width required increases by approx. 30 mm per side in case of the sub-structure sink
Cabinet width	600 mm
Cut-out dimension	approx. 545 x 430 mm (built-in sink) approx. 515 x 400 mm (substructure sink)
Worktop thickness	The sinks are suitable for worktop thicknesses from 10–40 mm (built-in sink) and from 20 mm (sub-structure sink)
Excenter fitting	Drain and spill-over fitting
Valve type	3 1⁄2" flush bottom strainer basket valve
Overflow	Overflow in the main basin Overflow in the residual basin
Installation variant	Built-in sink Sub-structure bowl Flush mounted sink
Height half sink	171 mm
Wide half sink	180 mm
Deep half sink	400 mm
Main sink width	310 mm
Height main sink	201 mm
Depth main sink	400 mm
Flushing radius (R)	10
Maximum worktop material thickness	40 mm
Material thickness worktop minimum	10 mm
Armature bench	No
Arrangement sinks	Bowl right
Number of sinks	1 main sink and 1 half sink
Number of overflow points	2
Sound insulation	Yes
Pelvic inner radius (R)	12
half sink	Yes without half sink insert


Spare Parts

1010047	Drain and spillover valve, Accessory, 3½", for Corno Piu PFU 11

Naber GmbH
Enschedestr. 24
DE-48529 Nordhorn

Tel. +49 5921 704-0
Fax +49 5921 704-140
naber@naber.com

Dimensional sketch (PDF)



Installation dimensions (PDF)

