



SERVIZIO Namor® 4 window fitting

Product number: 5025036

Configuration: black matt, high pressure

Configuration options



5025035 | stainless steel, high pressure

5025036 | black matt, high pressure

- ✓ Sink faucet
- ✓ high pressure
- ✓ energy-saving cold start function

Single lever faucet. With swivelling/pull-out hose with shower head (can be switched to stream or shower), side lever, laminar aerator and ceramic cartridge.

- height when tilted only 50 mm
- swivel range 120°
- drill Ø 35 mm
- corresponds to the German and European drinking water regulation/directive



[more infos...](#)

Technical data

Article type	Sink faucet	Operating pressure	high pressure
Brand	SERVIZIO	Width	48 mm
Number of handles	1	Material	stainless steel
Height	308 mm	Surface/coating	powder coated
Outreach	219 mm	Window fitting	Yes
Discharge height	270 mm	Swivel range handle	0 °
Operating mode	Lever	Number of tap holes	1
Drilling diameter	35 mm	ECO function	energy-saving cold start function
Handle position	side lever	Convertible jet/shower	Yes
Lever length	106 mm	Length shower hose	820 mm
Cartridge with ceramic sealing discs	Yes	Height tilted	50 mm
Swivel range outlet	120°	Type of hose shower	with swivelling/pull-out hose with shower head (can be switched to stream or shower)
Beam type	Laminar beam	Connection hoses	820 mm
Type of fitting	Single lever faucet		

Technical drawing of a window handle assembly. The drawing includes three views: a side view showing the handle's profile with dimensions Ø40, Ø48, and 106; a top view showing the handle's width with dimensions 308, 270, and 219; and a perspective view of the handle assembly. The handle is labeled 'Nabor' and 'Servizio Namor 4 Fenstermaur'.