

Corno Basso PR2



Product number: 1013144
Configuration: stainless steel

Configuration options

1013144 | stainless steel
1041146 | set (sink and Arco 1 faucet)


- ✓ Built-in sink
- ✓ Flush mounted sink
- ✓ Drain and spill-over fitting

Built-in sink. Single bowl. 3½" drain and spill-over fitting.

Flat edge: also suitable for flush installation

— suitable for worktop thicknesses from 10 mm to 40 mm

— cut-out dimensions ca. 375 x 495 mm (built-in sink)



[more infos...](#)

Technical data

Article type	Sink	Depth main sink	510 mm
Width	390 mm	Flushing radius (R)	10
Material	stainless steel	Maximum worktop material thickness	40 mm
Cabinet width	450 mm	Material thickness worktop minimum	10 mm
Cut-out dimension	approx. 375 x 495 mm (built-in sink)	Number of tap holes	1
Excenter fitting	Drain and spill-over fitting	Armature bench	Yes
Valve type	3½" basket strainer valve flush	Number of holes	1
Overflow	with overflow	Note fitting bore	pre-drilled
Installation variant	Built-in sink Flush mounted sink	Number of sinks	1 main sink
Main sink width	390 mm	Number of overflow points	1
Height main sink	286 mm		

Accessories

1013044	Drip tray large, Accessory, stainless steel
1013043	Drip tray small, Accessory, stainless steel
1013045	Cutting board made of plastic, white
1013041	Filo dish drainer, Accessory, stainless steel

Recommendations

5011250	Arco 1, Sink faucet, chrome, high pressure
---------	--

Technical drawing of the Edelschuh Einbausafe Como Basso PR2. The drawing includes a front view, a side view, and a top view. The front view shows a square safe with a circular handle and a lock. The side view shows the safe's depth and the handle's position. The top view shows the safe's width and height. Dimensions are provided in millimeters. The safe is labeled 'Edelschuh' and 'Como Basso PR2'.

Installation dimensions (PDF)

