

LINEA Arco 1

Product number: 5011257

Configuration: chrome, low pressure

Configuration options


5011250 | chrome, high pressure
 5011251 | stainless steel finish, high pressure
 5011254 | black matt, high pressure
 5011255 | graphite, high pressure
 5011257 | chrome, low pressure
 5011258 | stainless steel finish, low pressure
 5011259 | black matt, low pressure
 5011260 | graphite, low pressure
 5011270 | copper coloured, high pressure

- ✓ Sink faucet
- ✓ low pressure
- ✓ with swivelling outlet

Single lever faucet. With swivelling outlet, side lever, laminar aerator and ceramic cartridge.

- swivel range 360°
- drill Ø 35 mm
- corresponds to the German and European drinking water regulation/directive

BELGAQUA



[more infos...](#)

Technical data

Article type	Sink faucet	Type of fitting	Single lever faucet
Brand	LINEA	Operating pressure	low pressure
Number of handles	1	Material	brass
Total installation height	319 mm	Worktop thickness	40 mm
Height	319 mm	Number of tap holes	1
Outreach	199 mm	Cartridge size	35 mm
Outlet	with swivelling outlet	Flow rate at 3 bar (cold)	7,2 l/min
Discharge height	287 mm	Flow rate at 3 bar (hot)	7,18 l/min
Operating mode	Lever	Flow rate at 3 bar (mix)	8,53 l/min
Drilling diameter	35 mm	Connection type	G 3/8" F
Handle position	side lever	Connection size	DN 15
Cartridge with ceramic sealing discs	Yes	Connection hoses	450 mm
Swivel range outlet	360°		

Technical drawing of the Alcoa I ND kitchen faucet. The drawing includes three views: a side elevation showing a height of 319 mm and a spout reach of 287 mm; a front elevation showing a spout height of 199 mm and a base width of 289 mm; and a top-down view showing a base width of 140 mm and a spout diameter of Ø50 mm. A 3D perspective view of the faucet is also shown. The faucet has a single-lever design with a curved spout and a cylindrical base. The drawing is labeled with dimensions in millimeters.