



## KWC Bistro E

Product number: 5022296

Configuration: stainless steel, high pressure

### Configuration options

5022296 | stainless steel, high pressure



- ✓ Sink faucet
- ✓ high pressure
- ✓ with swivelling outlet

Single lever faucet. With swivelling outlet and spring-guided shower head (can be switched to stream or shower), side lever and ceramic cartridge.

- swivel range 360°
- drill-Ø 35 mm
- lever can only be positioned on the right
- TouchProtect: protection against burns thanks to dual-shell design
- switchable shower head (SprayClean active limescale removal and quick strainer cleaning, Neoperl® Caché®, PowerClean strainer jet mode, with automatic reset)
- EasyLock: easy retraction of pull-out shower
- OptimalSpace: generous washing/working area
- KWC control cartridge M 35 S (with ceramic disc technology, continuously adjustable flow rate and temperature)
- flexible connection hoses 3/8"
- QuickInstallation mounting with threaded connector M33 x 1.5 with locking screws



[more infos...](#)

## Technical data

Article type	Sink faucet	Width	45 mm
Brand	KWC	Material	stainless steel
Number of handles	1	Further	Easy Lock – simple return of the pull-out shower head
Total installation height	459 mm	Hose thread	3/8"
Height	459 mm	Worktop thickness	45 mm
Outreach	235 mm	TouchProtect	Yes
Outlet	with swivelling outlet	Number of tap holes	1
Discharge height	180 mm	Convertible jet/shower	Yes
Operating mode	Lever	Moveable aerator	Yes
Drilling diameter	35 mm	Anti-limestone jet regulator	Yes
Handle position	side lever	Angle of inclination of aerator	8 °
Cartridge with ceramic sealing discs	Yes	Type of hose shower	spring-guided hose with spray head
Swivel range outlet	360°	Flow rate at 3 bar (cold)	8 l/min
Type of fitting	Single lever faucet	Flow rate at 3 bar (spray cold)	6,4 l/min
Operating pressure	high pressure		

