

Singoli 600

Product number: 1106076

Configuration: granite concrete


Configuration options

1106071 | granite nero
 1106072 | granite espresso
 1106073 | granite metallico
 1106075 | granite magnolia
 1106076 | granite concrete
 1106077 | granite lava
 1106078 | granite nero assoluto

- ✓ Sub-structure bowl
- ✓ Composite
- ✓ Eccentric set, chrome-plated

Sub-structure sink. Composite, single bowl. 3½" basket strainer valve flush, rotational excenter fitting, chrome plated.

- suitable for worktop thicknesses of at least 15 mm
- **eccentric handle drilling dimension Ø 35 mm**
- cut-out dimensions ca. 468 x 390 mm
- can also be used in combination with hot water fittings (+/-100 °C)



[more infos...](#)

Technical data

Article type	Sink	Height main sink	209 mm
Width	533 mm	Depth main sink	392,8 mm
Material	Composite	Flushing radius (R)	7
Cabinet width	600 mm	Material thickness worktop minimum	15 mm
Suitable for	can also be used in combination with hot water fittings (+/-100 °C)	Armature bench	No
Cut-out dimension	approx. 468 x 390 mm	Number of sinks	1 main sink
Excenter fitting	Eccentric set, chrome-plated	Number of overflow points	1
Valve type	3½" basket strainer valve flush	Garnish actuation	Chrome-plated rotary eccentric
Installation variant	Sub-structure bowl	Pelvic inner radius (R)	10
Main sink width	480 mm	Drilling diameter eccentric	35 mm

Spare Parts

1106063	Rotational excenter fitting, Drain fittings, 3½" basket strainer valve flush, for Angola 100, Angola 100 L, Singoli 600
1106065	Strainer basket insert manually operated, Accessory, for Singoli 600, Angola 56

Recommendations

1100416	Gramix 2 high pressure faucet, Sink faucet, granite concrete
1100402	Gramix 1 high pressure faucet, Sink faucet, granite espresso
1100406	Gramix 1 high pressure faucet, Sink faucet, granite concrete
1100412	Gramix 2 high pressure faucet, Sink faucet, granite espresso
1100401	Gramix 1 high pressure faucet, Sink faucet, granite nero
1100403	Gramix 1 high pressure faucet, Sink faucet, granite metallico
1100405	Gramix 1 high pressure faucet, Sink faucet, granite magnolia
1100411	Gramix 2 high pressure faucet, Sink faucet, granite nero
1100413	Gramix 2 high pressure faucet, Sink faucet, granite metallico
1100415	Gramix 2 high pressure faucet, Sink faucet, granite magnolia
1100003	Care set Cin-Nagranit, Accessory, set 3-part
1100407	Gramix 1 high pressure faucet, Sink faucet, graniete lava
1100417	Gramix 2 high pressure faucet, Sink faucet, granite lava

Technical drawing of the Naber 600 Unterbauspüle showing three views: top, front, and side. The top view shows a square basin with dimensions 469.00 mm (width) and 457.2 mm (depth). The front view shows a depth of 533.40 mm and a height of 209.00 mm. The side view shows a height of 218.00 mm and a depth of 209.00 mm. The drawing includes a scale bar from 0 to 100 mm and a title block with the Naber logo and product information.

Naber 600 Unterbauspüle		Naber 600 Unterbauspüle	
DIN ISO 2768 m		DIN ISO 2768 m	
Tolerances		Tolerances	
Linear dimensions		Linear dimensions	
Angular dimensions		Angular dimensions	
Form and position		Form and position	
Surface texture		Surface texture	
Welding		Welding	
Painting		Painting	
Assembly		Assembly	
Material		Material	
Drawing		Drawing	
Date		Date	
Version		Version	
Author		Author	
Check		Check	
Release		Release	
Naber		Naber	
Unterbauspüle		Unterbauspüle	
1106071 - 1106076		1106071 - 1106076	

Installation dimensions (PDF)

