



Corno Piu PR3

Product number: 1013114

Configuration: stainless steel

Configuration options

1013114 | stainless steel

1041131 | set (sink and Fuoco 1 faucet)


- ✓ Built-in sink
- ✓ Flush mounted sink
- ✓ Eccentric set, stainless steel

Built-in sink. Single bowl. 3½" basket strainer valve flush with push-button excenter fitting in stainless steel and basket strainer valve flush with the bottom.

Flat edge: also suitable for flush installation

— suitable for worktop thicknesses from 10 mm to 40 mm

— cut-out dimensions ca. 435 x 495 mm (built-in sink)



[more infos...](#)

Technical data

Article type	Sink	Depth main sink	400 mm
Height	327 mm	Flushing radius (R)	10
Width	450 mm	Maximum worktop material thickness	40 mm
Material	stainless steel	Material thickness worktop minimum	10 mm
Cabinet width	500 mm	Number of tap holes	1
Cut-out dimension	approx. 435 x 495 mm (built-in sink)	Armature bench	Yes
Excenter fitting	Eccentric set, stainless steel	Number of holes	1
Valve type	3 1/2" flush bottom strainer basket valve	Number of sinks	1 main sink
Overflow	Overflow in the main basin	Number of overflow points	1
Installation variant	Built-in sink Flush mounted sink	Sound insulation	Yes
Main sink width	400 mm	Garnish actuation	Push-button eccentric stainless steel
Height main sink	201 mm	Pelvic inner radius (R)	12

Spare Parts

1014045	Rotational knob excenter fitting, Accessory, stainless steel, for Corno Piu PR 2–4
---------	--

Recommendations

5011320	Fuoco 1, Sink faucet, chrome, high pressure
1111141	Stainless steel system care, Cleaning agent,
1111142	Stainless steel cleaning agent Utral, Cleaning agent, 250 ml
1111143	Stainless steel care agent Edelglanz, Cleaning agent, 250 ml

Technical drawing of a Nabertherm furnace, model 101314. The drawing includes a front view, a side view, and a top view. The front view shows a rectangular furnace with a central circular opening. Dimensions include a total width of 510 mm, a central opening diameter of 400 mm, and a height of 201 mm. The side view shows the furnace's profile with a height of 201 mm. The top view shows the furnace's base with a central circular opening and four mounting feet. The drawing is labeled with 'Nabertherm' and '101314'.

