

SERVIZIO Namor® 5

Product number: 5025046

Configuration: brushed-gold, with laminar aerator, high pressure


Configuration options

5025009 | stainless steel, with laminar aerator, high pressure
 5025010 | black matt, with laminar aerator, high pressure
 5025038 | stainless steel, without laminar aerator, low pressure
 5025039 | black matt, without laminar aerator, low pressure
 5025046 | brushed-gold, with laminar aerator, high pressure
 5025047 | rosé-gold, with laminar aerator, high pressure

- ✓ Sink faucet
- ✓ high pressure
- ✓ with swivelling outlet

Single lever mixer. With swivelling outlet, side lever and ceramic cartridge.

- swivel range 120°
- drill Ø 35 mm
- corresponds to the German and European drinking water regulation/directive



[more infos...](#)

Technical data

Article type	Sink faucet	Beam type	Laminar beam
Brand	SERVIZIO	Type of fitting	Single lever faucet
Number of handles	1	Operating pressure	high pressure
Total installation height	360 mm	Width	48 mm
Height	360 mm	Surface/coating	PVD coating
Outreach	213 mm	Swivel range handle	0 °
Outlet	with swivelling outlet	Cartridge size	25 mm
Discharge height	229 mm	ECO function	energy-saving cold start function
Operating mode	Lever	Max. Flow rate at 3 bar	12,5 l/min
Drilling diameter	35 mm	Flow rate at 3 bar (cold)	9,5 l/min
Handle position	side lever	Flow rate at 3 bar (hot)	9,5 l/min
Lever length	106 mm	Flow rate at 3 bar (mix)	12,5 l/min
Cartridge with ceramic sealing discs	Yes	Size laminar flow regulator	M18,5x1
Swivel range outlet	120°	Connection hoses	700 mm

