




Corto 780 – set

Product number: 1041005

Configuration: granite nero, set, incl. Drive 1S, stainless steel coloured/black

Configuration options

1041005 | granite nero, set, incl. Drive 1S, stainless steel coloured/black

1041017 | granite nero assoluto, set incl. Drive 1, black matt

- ✓ Built-in sink
- ✓ Composite
- ✓ Eccentric set, chrome-plated

Built-in sink. Composite, with small draining surface, reversible. 3½" basket strainer valve flush with rotational excenter fitting, chrome-plated.

- both sides drilled through
- suitable for worktop thicknesses from 22 mm to 44 mm
- cut-out dimensions ca. 760 x 480 mm
- tested according to the EU standard BS EN 13310:2015
- can also be used in combination with hot water fittings (+/-100 °C)

Single lever faucet with **swivelling outlet**, side lever and ceramic cartridge.

- swivel range 360°
- drill Ø 35 mm



[more infos...](#)

Technical data

Article type	Sink	Flushing radius (R)	6
Width	780 mm	Maximum worktop material thickness	44 mm
Material	Composite	Material thickness worktop minimum	22 mm
Cabinet width	500 mm	Number of tap holes	1
Cut-out dimension	approx. 760 x 480 mm	Armature bench	Yes
Excenter fitting	Eccentric set, chrome-plated	Number of holes	2
Valve type	3½" basket strainer valve flush	Arrangement sinks	Reversible
Overflow	Overflow in the drainer	Number of sinks	1 main sink
Installation variant	Built-in sink	Number of overflow points	1
Main sink width	345 mm	Draining board	With ribbed draining surface
Height main sink	200 mm	Garnish actuation	Chrome-plated rotary eccentric
Depth main sink	430 mm		

Installation dimensions (PDF)

