

LINEA Mio 2

Product number: 5011306

Configuration: black matt, high pressure

Configuration options

5011304 | chrome, high-pressure

5011306 | black matt, high pressure

5011307 | stainless steel finish, high pressure

- ✓ Sink faucet
- ✓ high pressure
- ✓ with swivelling/pull-out metal outlet


Single lever mixer. With **swivelling/pull-out** metallic outlet (can be switched to stream or shower), side lever and ceramic cartridge.

— swivel range 360°

— drill Ø 35 mm

— corresponds to the German and European drinking water regulation/directive

BELGAQUA



[more infos...](#)

Technical data

Article type	Sink faucet	Beam type	Shower jet Comfort beam
Brand	LINEA	Type of fitting	Single lever faucet
Number of handles	1	Operating pressure	high pressure
Total installation height	464 mm	Width	50 mm
Height	464 mm	Material	brass
Outreach	210 mm	Surface/coating	powder coated
Outlet	with swivelling/pull-out metal outlet	Worktop thickness	40 mm
Discharge height	258 mm	Number of tap holes	1
Operating mode	Lever	Cartridge size	35 mm
Drilling diameter	35 mm	Convertible jet/shower	Yes
Handle position	side lever	Connection type	G 3/8" F
Cartridge with ceramic sealing discs	Yes	Connection size	DN 15
Swivel range outlet	360°	Connection hoses	450 mm

Technical drawing of the Nabertherm Linea Mio 2 furnace. The drawing includes three views: a side elevation, a front elevation, and a perspective view. The side elevation shows a vertical furnace with a height of 2100 mm, a base width of 260 mm, and a total width of 464 mm. The front elevation shows a U-shaped furnace with a height of 2100 mm and a base width of 260 mm. The perspective view shows the furnace from a three-quarter angle. The drawing is labeled with dimensions and the Nabertherm logo.