



KWC Domo 5 window fitting

Product number: 5022169

Configuration: chrome, high pressure

Configuration options

5022169 | chrome, high pressure


- ✓ Sink faucet
- ✓ high pressure
- ✓ Swivelling

Single lever faucet with swivelling outlet and ceramic cartridge.

— height when tilted only 55 mm

— swivel range 150°

— drill Ø 35 mm



[more infos...](#)


Technical data

Article type	Sink faucet	Factory customer service	Yes
Brand	KWC	Type of fitting	Single lever faucet
Number of handles	1	Operating pressure	high pressure
Total installation height	310 mm	Width	48,5 mm
Outreach	225 mm	Material	brass
Outlet	Swivelling	Worktop thickness	45 mm
Discharge height	195 mm	Window fitting	Yes
Operating mode	Lever	Number of tap holes	1
Drilling diameter	35 mm	Spring-guided hose shower	No
Handle position	top	Height tilted	55 mm
Manufacturer's warranty	5 years manufacturer's warranty 10-year after-sales guarantee on spare parts	Angle of inclination of aerator	15 °
Cartridge with ceramic sealing discs	Yes	Temperature adjustable	Yes
Swivel range outlet	150°		

Dimensional sketch (PDF)

KWC DOMO | 6.0

KWC



KWC-Nr.	Oberfläche
10.661.043.000FL	ganzchrom
A 225, flexible Anschlussschläuche, wegnehmbar	

Küche wegnehmbar

- Hebelmischer
- Wegnehmbar für Unterfenstermontage - Einbaumaß 55 mm
 - Schwenkauslauf 150°
 - Neoperl® Cascade® SLC
 - OptimalSpace - grosszügiger Wasch- / Arbeitsbereich
 - KWC Steuerpatrone M 35 S
 - mit Keramikscheibentechnik
 - Auslaufmenge und Temperatur stufenlos einstellbar
 - Temperaturbegrenzung
 - Flexible Anschlussschläuche 3/8"
 - Befestigung mit Gewindestutzen M35 x 1.5 (Vormontagesockel)
 - Tischbohrung ø35 - 37 mm

Sortiments, Modell- und technische Änderungen vorbehalten. Massangaben in mm.

www.kwc.com 02.12.2020