





# LINEA Arco 1

Product number: 5011254
Configuration: black matt, high pressure

**Configuration options**

5011250 | chrome, high pressure
5011251 | stainless steel finish, high pressure
5011254 | black matt, high pressure
5011255 | graphite, high pressure
5011257 | chrome, low pressure
5011258 | stainless steel finish, low pressure
5011259 | black matt, low pressure
5011260 | graphite, low pressure
5011270 | copper coloured, high pressure

✓ Sink faucet
✓ high pressure
✓ with swivelling outlet

Single lever faucet. With swivelling outlet, side lever, laminar aerator and ceramic cartridge.
— swivel range 360°
— drill Ø 35 mm
— corresponds to the German and European drinking water regulation/directive

BELGAQUA

KERAMISCHE DICHTUNG

more infos...

## Technical data

| | |
|---|---|
| Article type | Sink faucet |
| Brand | LINEA |
| Number of handles | 1 |
| Total installation height | 319 mm |
| Height | 319 mm |
| Outreach | 199 mm |
| Outlet | with swivelling outlet |
| Discharge height | 287 mm |
| Operating mode | Lever |
| Drilling diameter | 35 mm |
| Handle position | side lever |
| Cartridge with ceramic sealing discs | Yes |
| Swivel range outlet | 360° |
| Type of fitting | Single lever faucet |

| | |
|---|---|
| Operating pressure | high pressure |
| Material | brass |
| Note | corresponds to the German and European drinking water regulation/ directive |
| Surface/coating | powder coated |
| Worktop thickness | 40 mm |
| Number of tap holes | 1 |
| Cartridge size | 35 mm |
| Flow rate at 3 bar (cold) | 7,2 l/min |
| Flow rate at 3 bar (hot) | 7,18 l/min |
| Flow rate at 3 bar (mix) | 8,53 l/min |
| Connection type | G 3/8“ F |
| Connection size | DN 15 |
| Connection hoses | 450 mm |

## Dimensional sketch (PDF)

