

## Cox<sup>®</sup> Base 460 S/500-2

Product number: 8012307

Configuration: light grey, H 460 mm




### Configuration options

8012307 | light grey, H 460 mm

- ✓ Front pull-out system
- ✓ full pull-out
- ✓ 49 l

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 49 (1 x 21/1 x 28) liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping



[more infos...](#)

### Technical data

Article type	Waste collection system	Opening technology	full pull-out
Width	500 mm	Total volume	49 l
CE marking on the product	No	Volume/content container 1	21 l
Mounting/Fixing	cabinet wall front panel	Volume/content container 2	28 l
Cabinet width	500 mm	Soft closing	Yes
Shape	angular	Colour guide	silver
Frame colour	silver	Design	Front pull-out system
Material container	plastic	Volume/Content container	21/28
Colour total cover	silver	Retractable total cover	Yes
Cover	Yes	Guide rail depth	470 mm
Lid type(s)	Complete lid	Locking mechanism	Without damper
Number of containers	2		

**Spare Parts**

8012323	Cox® system container, Single bucket, light grey, 21 liters
8012324	Cox® system container, Single bucket, light grey, 28 liters
8010145	Complete lid, Accessory, silver

**Recommendations**

8012309	Cox® Base single bucket, Single bucket, light grey
---------	--

Installation dimensions (PDF)

The technical drawing illustrates the installation dimensions for a Naber pull-out unit. It includes a side view showing a total width of 469 mm and a depth of 464 mm. A top view shows a depth of 462 mm. A detailed exploded view of the unit is shown with 14 numbered callouts corresponding to the parts list table.

Pos.	Abbildung	Moz.	Benennung	Artikel-Nr.	Material	RAL
1		4	Möblyfestschraube	801 0155	Stahl verzinkt	
2		4	Mutler	801 0007	Stahl verzinkt	
3		4	Ankerungsschraube	801 0007	Zink-Druckguss	7042
4		2	Montageplatte	801 0147	ABS	9006
5		1	Fahnen silber 500, 400, 2a	801 0147	DC01	9006
6		1	Gasendeckel silber 500	801 0145	DC01/DC012	9006
7		1	Frontblech L	801 0150	Stahl verzinkt	
8		1	Abdeckung L	801 0161	PA 6	7042
9		1	Frontblech R	801 0150	Stahl verzinkt	
10		1	Abdeckung R	801 0161	PA 6	7042
11		1	Einrastzahn hellgrau 21 L	801 2323	PP + PA6 GF 30%	7047 + 7042
12		1	Schiene Grass Nova pro 450 L	801 0026	Stahl verzinkt	
13		1	Schiene Grass Nova pro 450 R	801 0026	Stahl verzinkt	
14		1	Einrastzahn hellgrau 28 L	801 2324	PP + PA6 GF 30%	7047 + 7042

**Customer drawing:**

**Notes:** 1.3  
 1. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 2. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 3. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 4. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 5. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 6. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 7. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 8. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 9. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 10. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 11. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 12. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 13. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.  
 14. The unit is designed for installation in a cabinet with a depth of 464 mm. The total width of the unit is 469 mm. The depth of the unit is 462 mm.

**Product Information:**  
 Name: **Cox Base 450 S\_500-2**  
 Part Number: **8012307**  
 Material: **Stahl verzinkt**  
 Color: **RAL 7042**  
 Weight: **11,07 kg**  
 Dimensions: **469 x 464 x 462 mm**