




Corno Ora

Product number: 1041126

Configuration: set (bowl right and Arco 1)

Configuration options

- 1014040 | stainless steel, bowl right
- 1014041 | bac/gauche, bowl left
- 1041126 | set (bowl right and Arco 1)
- 1041127 | set (bowl left and Arco 1)

- ✓ Built-in sink
- ✓ Flush mounted sink
- ✓ Eccentric set

Built-in sink. With draining surface. 3½" basket strainer valve flush, rotational knob excenter fitting.

Flat edge: also suitable for flush installation

- suitable for worktop thicknesses from 30 mm to 40 mm
- cut-out dimensions ca. 480 x 490 mm (built-in sink)



[more infos...](#)

Technical data

Article type	Sink	Flushing radius (R)	10
Height	307 mm	Maximum worktop material thickness	40 mm
Width	860 mm	Material thickness worktop minimum	30 mm
Material	stainless steel	Number of tap holes	1
Cabinet width	450 mm	Armature bench	Yes
Cut-out dimension	approx. 840 x 490 mm (built-in sink)	Number of holes	1
Excenter fitting	Eccentric set	Arrangement sinks	Bowl right
Valve type	3½" basket strainer valve flush	Number of sinks	1 main sink
Overflow	Overflow in the main basin	Number of overflow points	1
Installation variant	Built-in sink Flush mounted sink	Draining board	With smooth draining surface
Main sink width	340 mm	Garnish actuation	Push-button eccentric
Height main sink	201 mm	Pelvic inner radius (R)	15
Depth main sink	365 mm		

Spare Parts

1014044	Rotational knob excenter fitting, Accessory, stainless steel, for Corno Ora
---------	---

Recommendations

5011250	Arco 1, Sink faucet, chrome, high pressure
---------	--

Technical drawing of a Naber sink with dimensions. The top view shows a rectangular sink with a central drain. Dimensions include: overall width 860mm, overall depth 510mm, inner width 640mm, inner depth 407mm, and a central drain with a diameter of 35mm. The side view shows a depth of 307mm and a mounting bracket. The drawing is labeled with 'R10' and 'R15' for radii.

[illegible]