




SERVIZIO Namor® 2

Product number: 5025004
Configuration: black matt, high pressure

Configuration options
5025003 | stainless steel, high pressure
5025004 | black matt, high pressure

✓ Sink faucet
✓ high pressure

Single lever mixer. With **swivelling/pull-out** hose with shower head (can be switched to stream or shower), laminar aerator and ceramic cartridge.
— swivel range 120°
— drill Ø 35 mm
— showerhead hose: simple click attachment
— corresponds to the German and European drinking water regulation/directive

EDELSTAHL® Rost frei

KERAMISCHE DICHTUNG

more infos...

Naber GmbH
Enschedestr. 24
DE-48529 Nordhorn

Tel. +49 5921 704-0
Fax +49 5921 704-140
naber@naber.com

Technical data

Article type	Sink faucet
Brand	SERVIZIO
Number of handles	1
Total installation height	273 mm
Height	273 mm
Outreach	209 mm
Discharge height	204 mm
Operating mode	Lever
Drilling diameter	35 mm
Handle position	top
Lever length	119 mm
Cartridge with ceramic sealing discs	Yes
Swivel range outlet	120°
Type of fitting	Single lever faucet
Operating pressure	high pressure
Width	50 mm

Material	stainless steel
Note	corresponds to the German and European drinking water regulation/ directive
Surface/coating	powder coated
Cartridge size	35 mm
Convertible jet/shower	Yes
Type of hose shower	with swivelling/pull-out hose with shower head (can be switched to stream or shower)
Max. Flow rate at 3 bar	7,8 l/min
Flow rate at 3 bar (cold)	6,7 l/min
Flow rate at 3 bar (hot)	6,66 l/min
Flow rate at 3 bar (mix)	7,26 l/min
Flow rate at 3 bar (spray cold)	5,74 l/min
Flow rate at 3 bar (spray hot)	5,69 l/min
Flow rate at 3 bar (spray mix)	6,5 l/min
Size laminar flow regulator	M16,5x1
Connection hoses	700 mm
Shower hose version	simple click fastening

Dimensional sketch (PDF)

