

## Corno Piu PR4

Product number: 1013112

Configuration: stainless steel

### Configuration options

1013112 | stainless steel



1041132 | set (sink and Fuoco 1 faucet)

- ✓ Built-in sink
- ✓ Flush mounted sink
- ✓ Eccentric set, stainless steel

Built-in sink. Single bowl. 3½" basket valve with push-button excenter fitting in stainless steel and basket strainer valve flush with the bottom.

### Flat edge: also suitable for flush installation

- suitable for worktop thicknesses from 10 mm to 40 mm
- cut-out dimensions ca. 535 x 495 mm (built-in sink)



[more infos...](#)

### Technical data

|                      |   |                                    |                                       |
|----------------------|---|------------------------------------|---------------------------------------|
| Article type         | Sink                                      | Depth main sink                    | 400 mm                                |
| Height               | 327 mm                                    | Flushing radius (R)                | 10                                    |
| Width                | 550 mm                                    | Maximum worktop material thickness | 40 mm                                 |
| Material             | stainless steel                           | Material thickness worktop minimum | 10 mm                                 |
| Cabinet width        | 600 mm                                    | Number of tap holes                | 1                                     |
| Cut-out dimension    | approx. 535 x 495 mm (built-in sink)      | Armature bench                     | Yes                                   |
| Excenter fitting     | Eccentric set, stainless steel            | Number of holes                    | 1                                     |
| Valve type           | 3 1/2" flush bottom strainer basket valve | Number of sinks                    | 1 main sink                           |
| Overflow             | Overflow in the main basin                | Number of overflow points          | 1                                     |
| Installation variant | Built-in sink<br>Flush mounted sink       | Sound insulation                   | Yes                                   |
| Main sink width      | 500 mm                                    | Garnish actuation                  | Push-button eccentric stainless steel |
| Height main sink     | 201 mm                                    | Pelvic inner radius (R)            | 12                                    |

**Spare Parts**

|         |  |
|---------|--|
| 1014045 | Rotational knob excenter fitting, Accessory, stainless steel, for Corno Piu PR 2-4 |
|---------|--|

**Recommendations**

|         |  |
|---------|--|
| 5011320 | Fuoco 1, Sink faucet, chrome, high pressure                  |
| 1111141 | Stainless steel system care, Cleaning agent,                 |
| 1111142 | Stainless steel cleaning agent Utral, Cleaning agent, 250 ml |
| 1111143 | Stainless steel care agent Edelglanz, Cleaning agent, 250 ml |



