




Neva colour change LED round

Product number: 7062526
Configuration: single lamp without switch, aluminium coloured and black

Configuration options
7062526 | single lamp without switch, aluminium coloured and black

✓ Built-in lamp
✓ 2700 K warm white to 6500 K cold white
✓ 2.5 watts

Built-in lamp. Plastic housing **with powder-coated metal cover in aluminium colour and black enclosed**, illumination without visible LED points.
Individual lamp without switch
— 2.5 watt, 24 V
— infinitely variable adjustment of light colour from **2700 K** warm white to **6500 K** cool white
— max. 64 lumen/watt
— very high quality of light thanks to colour rendering index >90
— dimming function: brightness can be continuously dimmed
— 2000 mm supply line with mini-plug-in system
— drill Ø 58 mm
— installation depth 14 mm
— LIC 2.0/MEC LED system compatible
This product contains a light source of energy efficiency class E.

More information about the LIC/MEC LED system

more infos...

Naber GmbH
Enschedestr. 24
DE-48529 Nordhorn

Tel. +49 5921 704-0
Fax +49 5921 704-140
naber@naber.com

Technical data

Article type	Luminaire
Height	12,5 mm
Drilling diameter	58 mm
Width	64,5 mm
Energy efficiency class	E
Mains voltage	24 VDC
Transformer / converter required	Yes, must be ordered separately
Protection class	IP20
Protection class	III
Mounting/Fixing	Base unit installation (wall unit/shelf) installation
Material housing	plastic
Certification	CE MM sign
Switch	No
Shape	round
Length of the supply line (primary)	2.000 mm
Outer diameter	64,5 mm

Illuminant included	Yes
Dimmer	Yes
Colour temperature	2700 K warm white to 6500 K cold white
Colour temperature adjustable	stepless
Type of dimming	brightness continuously dimmable
Plug-in system	with mini plug-in system
Illuminant type	LED
Colour rendering index	>90
Replaceable illuminant	No
Light yield	64 lumen/watt
Material cover	steel
Homogeneous light field without visible LED points	Yes
Radiation angle	106°
Design	Built-in lamp
Dimming function (composite)	Yes, brightness continuously dimmable
Illuminant power	2.5 watts

Dimensional sketch (PDF)

