




Corno Ora

Product number: 1014040

Configuration: stainless steel, bowl right

Configuration options

1014040 | stainless steel, bowl right

1014041 | bac/gauche, bowl left

1041126 | set (bowl right and Arco 1)

1041127 | set (bowl left and Arco 1)

- ✓ Built-in sink
- ✓ Flush mounted sink
- ✓ Eccentric set

Built-in sink. With draining surface. 3½" basket strainer valve flush, rotational knob ex-center fitting.

Flat edge: also suitable for flush installation

— suitable for worktop thicknesses from 30 mm to 40 mm

— cut-out dimensions ca. 480 x 490 mm (built-in sink)



[more infos...](#)

Technical data

Article type	Sink	Flushing radius (R)	10
Width	860 mm	Maximum worktop material thickness	40 mm
Material	stainless steel	Material thickness worktop minimum	30 mm
Cabinet width	450 mm	Number of tap holes	1
Cut-out dimension	approx. 840 x 490 mm (built-in sink)	Armature bench	Yes
Excenter fitting	Eccentric set	Number of holes	1
Valve type	3½" basket strainer valve flush	Arrangement sinks	Bowl right
Overflow	Overflow in the main basin	Number of sinks	1 main sink
Installation variant	Built-in sink Flush mounted sink	Number of overflow points	1
Main sink width	340 mm	Draining board	With smooth draining surface
Height main sink	201 mm	Garnish actuation	Push-button eccentric
Depth main sink	365 mm	Pelvic inner radius (R)	15

Accessories

1014042	Drip tray, Accessory, stainless steel
1014043	Cutting board made of plastic, white

Spare Parts

1014044	Rotational knob excenter fitting, Accessory, stainless steel, for Corno Ora
---------	---

Recommendations

5011250	Arco 1, Sink faucet, chrome, high pressure
1111141	Stainless steel system care, Cleaning agent,
1111142	Stainless steel cleaning agent Utral, Cleaning agent, 250 ml
1111143	Stainless steel care agent Edelglanz, Cleaning agent, 250 ml

Kundenzeichnung		Zeichnungsart Konstruktiv		Maßstab 1:1	
		Einbauhöhe		Einbaueinheit	
		Einbauspüle		Comfo Ora	
		1014040/014041			

Installation dimensions (PDF)

