



KWC Fit 2

Product number: 5022292

Configuration: chrome, high pressure

Configuration options


5022292 | chrome, high pressure

5022293 | black matt, high pressure

- ✓ Sink faucet
- ✓ high pressure
- ✓ with swivelling/pull-out

Single lever mixer. With **swivelling/pull-out** hose with shower head (can be switched to stream or shower) and ceramic cartridge.

- swivel range 120°
- drill Ø 35 mm
- TouchProtect: protection against burns thanks to dual-shell design
- built-in protection against backflow
- pull-out shower head, extendable up to 500 mm,
- EasyLock: simple retraction of pull-out shower head
- KWC control cartridge M 35 S (with ceramic disc technology, continuously adjustable flow rate and temperature)
- temperature limitation
- flexible connection hoses 3/8"
- QuickInstallation mounting with threaded connector M33 x 1.5 with locking screws



[more infos...](#)

Technical data

Article type	Sink faucet	Material	brass
Brand	KWC	Further	Easy Lock – simple return of the pull-out shower head
Number of handles	1	Backflow preventer	Yes
Total installation height	214 mm	Hose thread	3/8"
Height	200 mm	Worktop thickness	up to 60 mm
Outreach	205 mm	TouchProtect	Yes
Outlet	with swivelling/pull-out	Number of tap holes	1
Discharge height	131 mm	Cartridge size	M 35 S
Operating mode	Lever	Temperature limiter/scald protection	Yes
Drilling diameter	35 mm	Convertible jet/shower	Yes
Handle position	top	Extension length spout	500 mm
Cartridge with ceramic sealing discs	Yes	Angle of inclination of aerator	15 °
Swivel range outlet	120°	Temperature adjustable	Yes
Type of fitting	Single lever faucet	Type of hose shower	Integrated hose spray
Operating pressure	high pressure	Flow rate at 3 bar (cold)	6,8 l/min
Width	50 mm	Flow rate at 3 bar (spray cold)	6,5 l/min

[illegible]