




KWC Fit 2

Product number: 5022292
Configuration: chrome, high pressure

Configuration options
5022292 | chrome, high pressure
5022293 | black matt, high pressure

✓ Sink faucet
✓ high pressure
✓ with swivelling/pull-out

Single lever mixer. With **swivelling/pull-out** hose with shower head (can be switched to stream or shower) and ceramic cartridge.
— swivel range 120°
— drill Ø 35 mm
— TouchProtect: protection against burns thanks to dual-shell design
— built-in protection against backflow
— pull-out shower head, extendable up to 500 mm,
— EasyLock: simple retraction of pull-out shower head
— KWC control cartridge M 35 S (with ceramic disc technology, continuously adjustable flow rate and temperature)
— temperature limitation
— flexible connection hoses 3/8"
— QuickInstallation mounting with threaded connector M33 x 1.5 with locking screws

SWISS MADE

KERAMISCHE DICHTUNG

more infos...

Naber GmbH
Enschedestr. 24
DE-48529 Nordhorn

Tel. +49 5921 704-0
Fax +49 5921 704-140
naber@naber.com

Technical data

Article type	Sink faucet
Brand	KWC
Number of handles	1
Total installation height	214 mm
Height	200 mm
Outreach	205 mm
Outlet	with swivelling/pull-out
Discharge height	131 mm
Operating mode	Lever
Drilling diameter	35 mm
Handle position	top
Cartridge with ceramic sealing discs	Yes
Swivel range outlet	120°
Type of fitting	Single lever faucet
Operating pressure	high pressure
Width	50 mm

Material	brass
Further	Easy Lock – simple return of the pull-out shower head
Backflow preventer	Yes
Hose thread	3/8"
Worktop thickness	up to 60 mm
TouchProtect	Yes
Number of tap holes	1
Cartridge size	M 35 S
Temperature limiter/scald protection	Yes
Convertible jet/shower	Yes
Extension length spout	500 mm
Angle of inclination of aerator	15 °
Temperature adjustable	Yes
Type of hose shower	Integrated hose spray
Flow rate at 3 bar (cold)	6,8 l/min
Flow rate at 3 bar (spray cold)	6,5 l/min

Dimensional sketch (PDF)

