



LINEA Sottile 2 bathroom

Product number: 5011296

Configuration: black matt, high pressure

Configuration options

5011295 | chrome, high pressure

5011296 | black matt, high pressure


- ✓ Washbasin tap
- ✓ high pressure

Single lever faucet. With ceramic cartridge. With drain fitting Klick-Komfort.

Particularly suitable for use with top mounted washbasins.

— swivel range 360°

— drill \varnothing 35 mm



BELGAQUA



[more infos...](#)

Technical data

Article type	Washbasin tap	Surface/coating	powder coated
Brand	LINEA	Worktop thickness	40 mm
Number of handles	1	Swivel range handle	360 °
Total installation height	297 mm	Excenter fitting	With drain fitting Klick-Komfort (without spill-over)
Outreach	186 mm	Number of tap holes	1
Discharge height	181 mm	Cartridge size	25 mm
Operating mode	Lever	Minimum distance wall to centre tap hole	5 mm
Drilling diameter	35 mm	Angle of inclination of aerator	15 °
Handle position	side lever	Flow rate at 3 bar (cold)	6,4 l/min
Cartridge with ceramic sealing discs	Yes	Flow rate at 3 bar (hot)	6,52 l/min
Type of fitting	Single lever faucet	Flow rate at 3 bar (spray mix)	8,42 l/min
Operating pressure	high pressure	Connection type	G 3/8" F
Width	50 mm	Connection size	DN 15
Material	brass	Connection hoses	450 mm
Suitable for	Particularly suitable for use with top-mounted washbasins		

Dimensional sketch (PDF)

