


Kitchen connection box ...

Product number: 7012031

Configuration: 1.8 m/1.3 m (supply line) cable length, white

Configuration options

7012031 | 1.8 m/1.3 m (supply line) cable length, white



- ✓ Distributor
- ✓ angular
- ✓ 1.300 mm

The practical kitchen electrical connection is already equipped with all the necessary connection cables for dual hobs, teppanyaki grills, ovens, dishwashers and ventilation devices. Starting from the cooker socket (11 KW), the 230 V electrical appliances in the kitchen can easily be connected using the Schuko couplings, creating a simple and space-saving electrical connection. Technical specifications:

- input voltage 400 V
- preliminary fuse max. 16 A
- cable and socket tested according to IEC 60670-1 (DIN EN 60670-1), IEC 60670-22 (DIN EN 60670-22) and IEC 61535 (DIN EN 61535)
- construction: The socket housing is screwed and sealed against unauthorised opening. This prevents any interference in the wiring. The internal wiring is printed on a label.

— grey distribution box 36 x 115 x 107 mm (H x W x L) **Calculation of the connection value of the kitchen connection box:**

- **total connected value cooker socket 11 KW (given symmetrical distribution)**
- **3 earthed box couplings (3-pin connection) max. 3680 W (single-phase)** The device corresponds to protection class IP20 and is not suitable for use in wet rooms. Connection and commissioning may only be carried out by a qualified electrician. **For safety reasons, a power strip should not be used to connect several electricity consumers via the box coupling.**

[more infos...](#)

Technical data

| | | | |
|--------------|-------------|-------------------------------------|----------|
| Article type | Distributor | Protection class | IP20 |
| Height | 36 mm | Certification | CE |
| Width | 115 mm | Shape | angular |
| Material | plastic | Length of the supply line (primary) | 1.300 mm |