



## Corno Turno 50

Product number: 1041002

Configuration: set (sink and Turno faucet)

### Configuration options


1041002 | set (sink and Turno faucet)

- ✓ Built-in sink
- ✓ Flush mounted sink
- ✓ Eccentric set

Built-in sink. 3½" basket strainer valve flush with push-button excenter fitting. With single-lever mixer integrated into the bowl wall, stainless steel finish, swivel spout 180°, 120° rotating.

- **flat edge: also suitable for flush mounting**
- suitable for worktop thicknesses from 10 mm to 40 mm
- cut-out approx. 435 x 495 mm (built-in sink)
- bowl depth 200 mm
- with integrated single-lever mixer, stainless steel finish, high pressure
- infinitely 180° swivelling and positioning
- vertical water outlet in every position of the faucet
- ergonomic operation by single-lever mixer at the outlet end
- windows can be planned on worktop level and are simply opened

Design by tbSTUDIO, Berlin.




[more infos...](#)

### Technical data

|                      |                                      |                                    |                       |
|----------------------|--------------------------------------|------------------------------------|-----------------------|
| Article type         | Sink                                 | Main sink width                    | 400 mm                |
| Height               | 305 mm                               | Height main sink                   | 200 mm                |
| Width                | 450 mm                               | Depth main sink                    | 400 mm                |
| Material             | stainless steel                      | Flushing radius (R)                | 10                    |
| Designer             | Design by tbSTUDIO, Berlin           | Maximum worktop material thickness | 40 mm                 |
| Cabinet width        | 500 mm                               | Material thickness worktop minimum | 10 mm                 |
| Cut-out dimension    | approx. 435 x 495 mm (built-in sink) | Number of sinks                    | 1 main sink           |
| Excenter fitting     | Eccentric set                        | Number of overflow points          | 1                     |
| Valve type           | 3½" basket strainer valve flush      | Sound insulation                   | Yes                   |
| Overflow             | Overflow in the main basin           | Garnish actuation                  | Push-button eccentric |
| Installation variant | Built-in sink<br>Flush mounted sink  | Pelvic inner radius (R)            | 12                    |

## Spare Parts

|         |                                                                                          |
|---------|------------------------------------------------------------------------------------------|
| 1013057 | Rotational knob excenter fitting, Drain fittings, stainless steel, for Corno Turno 50/60 |
|---------|------------------------------------------------------------------------------------------|



Technical drawing of the EMBLUN 880 cabinet, showing front and side views with dimensions and a detail of the top edge.

**Front View Dimensions:**

- Overall width: 435 mm
- Overall height: 452 mm
- Internal width: 435 mm
- Internal height: 422 mm
- Top edge radius: R11
- Bottom edge radius: R10

**Side View Dimensions:**

- Overall depth: 495 mm
- Internal depth: 452 mm
- Top edge radius: R11
- Bottom edge radius: R10

**Detail of Top Edge (DETTAGLIO SCALA 1:2):**

- Top edge thickness: 4 mm
- Bottom edge thickness: 1.5 mm

**Flush Installation built-in fitting note:**

- 435x495 R10 mm
- 422x452 R10 mm
- 435x495 R10 mm
- cabinet 500 mm

**Flat-mounted installation built-in fitting note:**

- 435x495 R10 mm
- cabinet 500 mm