newcomer 2025



NABER-CONTURA® SILQUA -Pure sink. Clear, flowing, refined!







ONLINE SHOP!

naber.com

LUMICA® Fluente LED aluminium-coloured – Surface mounted lamp, aluminium housing



ACCOMODA® trans-FORM shelf system – powder-coated. Black matt, shelves sand matt



When the **Naber newcomers** enter the spotlight, the focus is naturally always on highlights for the perfect everyday kitchen experience.

Right at the forefront is the new "pure sink" NABER-CONTURA®
SILQUA, with its perfect design and refined, precise functionality. With three installation types, premium materials and a range of colours, SILQUA fits into any interior!

LUMICA® Fluente LED and ACCO-MODA® transFORM offer elegant, timeless lighting solutions for work surfaces and shelving systems.

Both the detergent dispenser ARMATE® Namor and the ARMATE® Aqvella system provide space-saving convenience.

With CON-AKTIV® and STOREX®, the smooth retractability of socket elements and appliances creates more free space – with VersaCharger, Piccolino, ChefsTable. STOREX® Turn Motion optimises storage space utilisation.

And with SELECTAkit® Pullboy Versa and Pullboy Soft Fusion, you benefit from well-thought-out systems where intelligent waste management and sensible use of space automatically go hand in hand.

The newcomers 2025 offer an impressive selection. As always: let yourself be inspired!





ARMATE® detergent dispenser Namor® – a timeless, simple extra for added convenience

ARMATE® Aqvella system – sparkling water single–lever mixer with cooling and filter system





CON-AKTIV® VersaCharger – retractable plug & play charger

CON-AKTIV® Piccolino – retractable socket element with spring mechanism





STOREX® ChefsTable – swivel fitting with ingenious parallel swing mechanism

STOREX® Turn Motion – versatile rotating fitting for tall and base cabinets





SELECTAkit® Pullboy Versa® 265 K ideal waste system for a multi–part front design

SELECTAkit® Pullboy Soft Fusion® – excellent for water conditioning

newcomer in the spotlight







LUMICA® Lighting technology

CON-AKTIV® Sockets

TRADUR®
Supporting elements

STOREX® Cabinet equipment

ACCOMODA®
Niche equipment

TABLON® Interiors

NABER-CONTURA® SILQUA ceramic

Flowing lines, sophisticated details, sink pure!



Made of high-quality ceramic for maximum quality and lasting brilliant beauty! SILQUA is cleverly designed. Soft radii inspired by flowing water reduce the cleaning work and the risk of impact damage.

The faucet is placed on a faucet ledge integrated into the sink. This means that your hands stay inside when using the faucet, so water can drip into the sink instead of having to be wiped away outside. Glasses or cups can dry on the embossed drainage grooves of the faucet ledge.

Developed in collaboration with Hans Winkler Design, Grafenau







Surface-mountedWith a classic profiled outer edge



Flush-mounted Elegant combination with maximum convenience



Substructure-mounted Seamlessly simple, with no disturbing edges

Trend colours for every setting



Colour:



slate



lava



white matt




white gloss

Functional accessories




Filso draining mat silicone



Filo draining rack stainless steel





Silqua E




Built-in sink. Ceramic, single bowl with draining surface, 3% basket strainer valve flush with premium rotational excenter fitting, chromed, drill hole 1 + 2 drilled through.

- suitable for worktop thicknesses from 30 mm
- cut-out approx. 550 x 480 mm, R 5 mm

5 years manufacturer's warranty (except on wearing parts)

Design by Hans Winkler Design, Grafenau.

1091061	white glossy	€ 951.18
1091062	slate	€ 951.18
1091063	nero	€ 951.18
1091064	lava	€ 951.18
1091065	white matt	€ 951.18
Optional	accessories	
1091030	Cover cap drain cover, stainless steel glossy	€ 33.72
1091031	Cover cap drain cover, brushed stainless steel	€ 35.88
1091032	Cover cap drain cover, ceramic, white glossy	€ 73.93
1091033	Cover cap drain cover, ceramic, slate	€ 73.93
1091034	Cover cap drain cover, ceramic, nero	€ 73.93
1091035	Cover cap drain cover, ceramic, lava	€ 73.93
1091036	Premium rotational excenter, chrome	€ 56.20
1091037	Premium rotational excenter, stainless steel	€ 65.72
1091040	Cover cap drain cover, ceramic, white matt	€ 73.93



Silqua F




Built-in sink for flush mounting. Ceramic, single bowl with small draining surface, 3½" basket strainer valve flush with premium rotational excenter fitting, chromed, drill hole 1 + 2 drilled through.

- suitable for worktop thicknesses from 30 mm
- requires beading all round or a support bar (beading depth 23 mm, beading width 7 mm)
- cutout dimensions approx. 560 x 490 mm, R 12 mm
- apply a chamfer of 2 mm at 45° to the upper edge of the cutout

5 years manufacturer's warranty (except on wearing parts)

Design by Hans Winkler Design, Grafenau.

1091066	white glossy	€ 1,033.32
1091067	slate	€ 1,033.32
1091068	nero	€ 1,033.32
1091069	lava	€ 1,033.32
1091070	white matt	€ 1,033.32
Optional	accessories	
1091030	Cover cap drain cover, stainless steel glossy	€ 33.72
1091031	Cover cap drain cover, brushed stainless steel	€ 35.88
1091032	Cover cap drain cover, ceramic, white glossy	€ 73.93
1091033	Cover cap drain cover, ceramic, slate	€ 73.93
1091034	Cover cap drain cover, ceramic, nero	€ 73.93
1091035	Cover cap drain cover, ceramic, lava	€ 73.93
1091036	Premium rotational excenter, chrome	€ 56.20
1091037	Premium rotational excenter, stainless steel	€ 65.72
1091040	Cover cap drain cover, ceramic, white matt	€ 73.93



Silqua U



Sub-structure sink. Ceramic, single bowl with small draining surface, $3\% \ensuremath{^{\!\!\!/}}$ basket strainer valve flush with premium rotational excenter fitting, chromed, drill hole 1 + 2 drilled through.

- suitable for worktop thicknesses from 30 mm
- cut-out approx. 488 x 419 mm, R 6 mmwith fasteningmaterial

5 years manufacturer's warranty (except on wearing parts)

Design by Hans Winkler Design, Grafenau.

1091071	white glossy	€ 1,171.68
1091072	slate	€ 1,171.68
1091073	nero	€ 1,171.68
1091074	lava	€ 1,171.68
1091075	white matt	€ 1,171.68
Optional	accessories	
1091030	Cover cap drain cover, stainless steel glossy	€ 33.72
1091031	Cover cap drain cover, brushed stainless steel	€ 35.88
1091032	Cover cap drain cover, ceramic, white glossy	€ 73.93
1091033	Cover cap drain cover, ceramic, slate	€ 73.93
1091034	Cover cap drain cover, ceramic, nero	€ 73.93
1091035	Cover cap drain cover, ceramic, lava	€ 73.93
1091036	Premium rotational excenter, chrome	€ 56.20
1091037	Premium rotational excenter, stainless steel	€ 65.72
1091040	Cover cap drain cover, ceramic, white matt	€ 73.93

NABER-CONTURA® SILQUA composite

Flowing lines, sophisticated details, sink pure!



Made of high-quality ceramic for maximum quality and lasting brilliant beauty! SILQUA is cleverly designed. Soft radii inspired by flowing water reduce the cleaning work and the risk of impact damage.

The faucet is placed on a faucet ledge integrated into the sink. This means that your hands stay inside when using the faucet, so water can drip into the sink instead of having to be wiped away outside. Glasses or cups can dry on the embossed drainage grooves of the faucet ledge.

Developed in collaboration with Hans Winkler Design, Grafenau

Optional cover cap for the sink drain





Further information about SILQUA in the online magazine →



000

Product overview of all NABER-CONTURA® premium sinks →



Perfectly integrated



Surface-mountedWith a classic profiled outer edge for versatile daily use.

Trend colours for every setting



colour: nero ossidiana



terra di Agata



grigio tormalina




bianco howlite

Functional accessories




Filso draining mat silicone



Filo draining rack stainless steel











granite bianco howlite

granite terra di aaata granite grigio tormalina

Silqua 570



Built-in sink. Composite, with draining surface. $3\frac{1}{2}$ " basket strainer valve flush with push button eccentric set, stainless steel.

- both sides drilled through
- suitable for worktop thicknesses from 25 mm to 45 mm
- cut-out dimensions ca. 556 x 486 mm
- can also be used in combination with hot water fittings (+/-95 °C)


Design by Hans Winkler Design, Grafenau.

Colour samples see page 8/25 EN.

Expected to be available from January 2026.

1106274	granit nero ossidiana	€ 462.18
1106275	granit bianco howlite	€ 462.18
1106276	granit terra di agata	€ 462.18
1106277	granit grigio tormalina	€ 462.18
Optional	accessories	
1106190	Eccentric fitting, 3½" basket strainer valve flush,	€ 78.15
	for single bowl, black	
1106191	Cover cap drain cover, black	€ 22.94
Spare po	ırts	
1106193	Eccentric fitting, 3½" basket strainer valve flush,	€ 73.53
	for single bowl, stainless steel	









granite

granite bianco howlite

granite grigio tormalina

Vellano 410





Built-in sink. Composite, single bowl. $3\frac{1}{2}$ " basket strainer valve flush with push button eccentric set, stainless steel. 3 pre-drilled holes, drill holes must be completed during assembly.


- suitable for worktop thicknesses from 25 mm to 40 mm
- cut-out dimensions ca. 390 x 480 mm (built-in sink)
- can also be used in combination with hot water fittings (+/–100 $^{\circ}\text{C})$

Colour samples see page 8/25 EN.

Expected to be available from October 2025.

1106210	granite nero ossidiana	€ 335.97
1106211	granite bianco howlite	€ 335.97
1106212	granite terra di agata	€ 335.97
1106213	granite grigio tormalina	€ 335.97
Optional	accessories	
1106190	Eccentric fitting, 3½" basket strainer valve flush, for single bowl, black	€ 78.15
1106191	Cover cap drain cover, black	€ 22.94
Spare po	arts	
1106193	Eccentric fitting, 3½" basket strainer valve flush, for single bowl, stainless steel	€ 73.53














tormalina



Vellano 470




Built-in sink. Composite, single bowl. 31/2" basket strainer valve flush with push button eccentric set, stainless steel. 3 pre-drilled holes, drill holes must be completed during assembly.

- suitable for worktop thicknesses from 25 mm to 40
- cut-out dimensions ca. 450 x 480 mm (built-in sink)
- can also be used in combination with hot water fittings (+/-95 °C)

Colour samples see page 8/25 EN.

1106220	granite nero ossidiana	€ 349.16
1106221	granite bianco howlite	€ 349.16
1106222	granite terra di agata	€ 349.16
1106223	granite grigio tormalina	€ 349.16
Optional	accessories	
1106190	Eccentric fitting, 3½" basket strainer valve flush,	€ 78.15
	for single bowl, black	
1106191	Cover cap drain cover, black	€ 22.94
Spare po	ırts	
1106193	Eccentric fitting, 3½" basket strainer valve flush,	€ 73.53
	for single bowl, stainless steel	



Vellano 570






Built-in sink. Composite, single bowl. $3\frac{1}{2}$ " basket strainer valve flush with push button eccentric set, stainless steel. 3 pre-drilled holes, drill holes must be completed during assembly.

- suitable for worktop thicknesses from 25 mm to 45 mm
- cut-out dimensions ca. 550 x 480 mm (built-in sink)
- can also be used in combination with hot water fittings (+/–95 $^{\circ}\text{C})$

Colour samples see page 8/25 EN.

Expected to be available from October 2025.

1106230	granite nero ossidiana	€ 377.06
1106231	granite bianco howlite	€ 377.06
1106232	granite terra di agata	€ 377.06
1106233	granite grigio tormalina	€ 377.06
Optional	accessories	
1106190	Eccentric fitting, 3½" basket strainer valve flush, for single bowl, black	€ 78.15
1106191	Cover cap drain cover, black	€ 22.94
Spare po	ırts	
1106193	Eccentric fitting, 3½" basket strainer valve flush,	€ 73.53
	for single bowl, stainless steel	



Vellano 790





Built-in sink. Composite, single bowl. 31/2" basket strainer valve flush with push button eccentric set, stainless steel. 3 pre-drilled holes, drill holes must be completed during assembly.

- suitable for worktop thicknesses from 25 mm to 40 mm
- cut-out dimensions ca. 770 x 480 mm (built-in sink)
- can also be used in combination with hot water fittings (+/-95 °C)

Colour samples see page 8/25 EN.

1106240	granite nero ossidiana	€ 432.77
1106241	granite bianco howlite	€ 432.77
1106242	granite terra di agata	€ 432.77
1106243	granite grigio tormalina	€ 432.77
Spare po	ırts	
1106192	Eccentric fitting, 3½" basket strainer valve flush, for double bowl, stainless steel	€ 90.76








granite bianco howlite

granite grigio tormalina



Fontea 650



Built-in sink. Composite, with draining surface, reversible. 3½" basket strainer valve flush with push button eccentric set, stainless steel.


- both sides drilled through
- suitable for worktop thicknesses from 25 mm to 40 mm
- cut-out dimensions ca. 630 x 480 mm
- can also be used in combination with hot water fittings (+/-95 °C)

Colour samples see page 8/25 EN.

Expected to be available from October 2025.

1106250	granite nero ossidiana	€ 368.91
1106251	granite bianco howlite	€ 368.91
1106252	granite terra di agata	€ 368.91
1106253	granite grigio tormalina	€ 368.91
Optional	accessories	
1106190	Eccentric fitting, 3½" basket strainer valve flush,	€ 78.15
	for single bowl, black	
1106191	Cover cap drain cover, black	€ 22.94
Spare po	ırts	
1106193	Eccentric fitting, 3½" basket strainer valve flush,	€ 73.53
	for single bowl, stainless steel	










granite howlite



granite grigio tormalina





Fontea 860




Built-in sink. Composite, with draining surface, reversible. 31/2" basket strainer valve flush with push button eccentric set, stainless steel.

- both sides drilled through
- suitable for worktop thicknesses from 25 mm to 45 mm
- cut-out dimensions ca. 840 x 480 mm
- can also be used in combination with hot water fittings (+/-95 °C)

Colour samples see page 8/25 EN.

1106260	granite nero ossidiana	€ 373.03
1106261	granite bianco howlite	€ 373.03
1106262	granite terra di agata	€ 373.03
1106263	granite grigio tormalina	€ 373.03
Optional	accessories	
1106190	Eccentric fitting, 3½" basket strainer valve flush, for single bowl, black	€ 78.15
1106191	Cover cap drain cover, black	€ 22.94
Spare po	ırts	
1106193	Eccentric fitting, 3½" basket strainer valve flush, for single bowl, stainless steel	€ 73.53



Fontea 1000



INEVV:

Built-in sink. Composite, with draining surface, reversible. $3\frac{1}{2}$ " basket strainer valve flush with push button eccentric set, stainless steel.

- both sides drilled through
- suitable for worktop thicknesses from 25 mm to 45 mm
- cut-out dimensions ca. 980 x 480 mm
- can also be used in combination with hot water fittings (+/–95 $^{\circ}\text{C})$

Colour samples see page 8/25 EN.

Expected to be available from October 2025.

1106270	granite nero ossidiana	€ 398.99
1106271	granite bianco howlite	€ 398.99
1106272	granite terra di agata	€ 398.99
1106273	granite grigio tormalina	€ 398.99
Optional	accessories	
1106190	Eccentric fitting, 3½" basket strainer valve flush, for single bowl, black	€ 78.15
1106191	Cover cap drain cover, black	€ 22.94
Spare po	arts	
1106193	Eccentric fitting, 3½" basket strainer valve flush,	€ 73.53
	for single bowl, stainless steel	



Eccentric fitting



- $-3\frac{1}{2}$ " basket strainer valve flush
- plastic

Expected to be available from November 2025.

1106190 3½" basket strainer valve flush, for single bowl, black € **78.15**



Cover cap drain cover



plastic

Expected to be available from November 2025.


1106191 black € 22.94



Fiola 540

Order no.

Fiola 540 combines the advantages of a substructure sink with those of composite material. Its beauty does not compete with the worktop, but is entirely focused on its function. With its carefully selected colour options, it enables exciting contrasts as well as harmonious colour concepts. Fiola 540 is absolutely hard-wearing with long-lasting colour brilliance. The edgeless substructure makes it particularly easy to clean.



Fiola 540

Sub-structure sink. Composite, single bowl. $3\frac{1}{2}$ " basket strainer valve flush with push button eccentric set, stainless steel.


- suitable for worktop thicknesses from 25 mm to 40 mm
- eccentric handle drilling dimension Ø 35 mm
- cut-out dimensions ca. 495 x 395 mm
- can also be used in combination with hot water fittings (+/–95 $^{\circ}\text{C})$

Colour samples see page 8/25 EN.

1106200	granite nero ossidiana	€ 390.76
1106201	granite bianco howlite	€ 390.76
1106202	granite terra di agata	€ 390.76
1106203	granite grigio tormalina	€ 390.76
Optional	accessories	
1106190	Eccentric fitting, 3½" basket strainer valve flush, for single bowl, black	€ 78.15
1106191	Cover cap drain cover, black	€ 22.94
Spare pa	ırts	
1106193	Eccentric fitting, 3½" basket strainer valve flush, for single bowl, stainless steel	€ 73.53



Angola 100



granite magnolia

granite lava

granite concrete

- can also be used in combination with hot water fittings (+/–100 $^{\circ}\text{C})$ Colour samples see catalogue 1 pages 46/25 EN.

— cut-out dimensions ca. 840 x 480 mm

valve flush with rotational excenter fitting, chrome-plated. both sides drilled through
suitable for worktop thicknesses from 22 mm to 44 mm

Expected to be available from November 2025.

granite	
nero	


granite

granite espresso

1106051	Drip tray made of stainless steel, 466 x 252 mm	€ 125.38
Optional	accessories	
1106008	granite nero assoluto NEW!	€ 337.23
1106007	granite lava	€ 337.23
1106006	granite concrete	€ 337.23
1106005	granite magnolia	€ 337.23
1106003	granite metallico	€ 337.23
1106002	granite espresso	€ 337.23
1106001	granite nero	€ 337.23

Built-in sink. Composite, with draining surface, reversible. 3% basket strainer





Order-No. 1106051

















Built-in sink. Composite, with large bowl and draining surface, reversible. $3\frac{1}{2}$ " basket strainer valve flush with rotational excenter fitting, chrome plated.


- pre-drilled on both sidessuitable for worktop thicknesses from 22 mm to 44 mm
- cut-out dimensions ca. 980 x 480 mm
- can also be used in combination with hot water fittings (+/–100 $^{\circ}\text{C})$

Colour samples see catalogue 1 pages 46/25 EN.

granite
nero
assoluto

1106031 granite nero	€ 380.47
1106032 granite espresso	€ 380.47
1106033 granite metallico	€ 380.47
1106035 granite magnolia	€ 380.47
1106036 granite concrete	€ 380.47
1106037 granite lava	€ 380.47
1106038 granite nero assoluto NEW!	€ 380.47
Optional accessories	
1106051 Drip tray made of stainless steel, 466 x 252 mm	€ 125.38





Order-No. 1106051



granite nero assoluto











Angola 150




Built-in sink. Composite, with draining surface and half sink, reversible. 31/2" basket strainer valve flush with rotational excenter fitting, chrome-plated. Half sink closeable.

- both sides drilled through
- suitable for worktop thicknesses from 22 mm to 44 mm

Colour samples see catalogue 1 pages 46/25 EN.

1106011 granite nero	€ 389.12
1106012 granite espresso	€ 389.12
1106013 granite metallico	€ 389.12
1106015 granite magnolia	€ 389.12
1106016 granite concrete	€ 389.12
1106017 granite lava	€ 389.12
1106018 granite nero assoluto NEW!	€ 389.12
Optional accessories	
1106051 Drip tray made of stainless steel, 466 x 252 mm	€ 125.38
1106052 Half sink insert, 307 x 167 mm	€ 120.20





Corto 615



Built-in sink. Composite, with small draining surface, reversible. 31/2" basket strainer valve flush with rotational excenter fitting, chrome-plated.


- both sides drilled through
 suitable for worktop thicknesses from 22 mm to 44 mm
- cut-out dimensions ca. 595 x 480 mm
- can also be used in combination with hot water fittings (+/–100 $^{\circ}\text{C})$


Colour samples see catalogue 1 pages 46/25 EN.

Expected to be available from November 2025.

1106081 granite nero	€ 298.33
1106082 granite espresso	€ 298.33
1106083 granite metallico	€ 298.33
1106085 granite magnolia	€ 298.33
1106086 granite concrete	€ 298.33
1106087 granite lava	€ 298.33
1106088 granite nero assoluto NEW!	€ 298.33
Optional accessories	
1106051 Drip tray made of stainless steel, 466 x 252 mm	€ 125.38

granite nero





granite

Corto 780

7


Built-in sink. Composite, with small draining surface, reversible. 3½" basket strainer valve flush with rotational excenter fitting, chrome-plated.

- both sides drilled through
- suitable for worktop thicknesses from 22 mm to 44 mm
- cut-out dimensions ca. 760 x 480 mm
- can also be used in combination with hot water fittings (+/–100 $^{\circ}\text{C})$

Colour samples see catalogue 1 pages 46/25 EN.

1106041 granite nero	€ 319.94
1106042 granite espresso	€ 319.94
1106043 granite metallico	€ 319.94
1106045 granite magnolia	€ 319.94
1106046 granite concrete	€ 319.94
1106047 granite lava	€ 319.94
1106048 granite nero assoluto NEW!	€ 319.94
Optional accessories	
1106051 Drip tray made of stainless steel, 466 x 252 mm	€ 125.38





Angola 40



Built-in sink. Composite, single bowl. $3\frac{1}{2}$ " basket strainer valve flush with rotational excenter fitting, chrome-plated. 3 pre-drilled holes, drill holes must be completed during assembly.

Also suitable for flush installation.

- suitable for worktop thicknesses from 22 mm to 44 mm
- cut-out dimensions ca. 380 x 480 mm (built-in sink)
- can also be used in combination with hot water fittings (+/-100 °C)

Colour samples see catalogue 1 pages 46/25 EN.


Expected to be available from November 2025.

1106111 granite nero	€ 298.33
1106112 granite espresso	€ 298.33
1106113 granite metallico	€ 298.33
1106114 granite magnolia	€ 298.33
1106115 granite concrete	€ 298.33
1106116 granite lava	€ 298.33
1106117 granite nero assoluto NEW!	€ 298.33
	

magnolia

granite nero assoluto





granite nero

Angola 56

TT

Built-in sink. Composite, single bowl. 3½" basket strainer valve flush with rotational excenter fitting, chrome-plated. 5 pre-drilled holes, **drill holes must be completed during assembly**.


Also suitable for flush installation.

- suitable for worktop thicknesses from 22 mm to 44 mm
- cut-out dimensions ca. 545 x 495 mm (built-in sink)
- can also be used in combination with hot water fittings (+/–100 $^{\circ}\text{C})$

Colour samples see catalogue 1 pages 46/25 EN.

1106028	granite nero assoluto NEW!	€ 349.35
1106027	granite lava	€ 349.35
1106026	granite concrete	€ 349.35
1106025	granite magnolia	€ 349.35
1106023	granite metallico	€ 349.35
1106022	granite espresso	€ 349.35
1106021	granite nero	€ 349.35





Singoli 600

Sub-structure sink. Composite, single bowl. 31/2" basket strainer valve flush, rotational excenter fitting, chrome plated.

- suitable for worktop thicknesses from 22 mm to 44 mm
 eccentric handle drilling dimension Ø 35 mm
- cut-out dimensions ca. 468 x 390 mm
- can also be used in combination with hot water fittings (+/–100 $^{\circ}\text{C})$

Colour samples see catalogue 1 pages 46/25 EN.

1106071 granite nero	€ 356.26
1106072 granite espresso	€ 356.26
1106073 granite metallico	€ 356.26
1106075 granite magnolia	€ 356.26
1106076 granite concrete	€ 356.26
1106077 granite lava	€ 356.26
1106078 granite nero assoluto NEW!	€ 356.26



Spülmittelspender Namor®

Space–saving elegance for extra convenience: the shapely detergent dispenser of the Namor® kitchen faucet series is available in the same colour variants as the faucets. Thanks to high–quality technology, the detergent container, which is hidden away under the worktop, can be conveniently filled from above. The superb pump mechanism guarantees precise dosing.

per piece excl. VAT

5 years manufacturer's warranty (except on wearing parts)

Factory customer service in Germany, Austria and the Netherlands



Detergent dispenser Namor®

Dish soap dispenser with brass pump head. Capacity 331 ml. High-quality, corrosion-resistant metal construction for tool-free installation in worktops. Easy cleaning and uncomplicated filling from the top without removing the dispenser.

- bore diameter 25-40 mm

5025022	stainless steel finish	€ 106.25
5025023	black matt	€ 114.75
5025024	gunmetal	€ 121.13




Aqvella system

Refined drinking water or regular tap water flows from the shapely kitchen faucets, just as you wish. The high-quality single-lever mixer with laminar aerator is connected to a practical cooling and filter system. Using the twist grip on the left, you can select the type of table water the faucet should provide: classic sparkling, medium sparkling or still water, which is also chilled and filtered. For added convenience, the colour of the LED ring shows the type of table water currently selected. Only a standard CO₂ cartridge is added to the technical unit. The corresponding holder is already in place.

5 years manufacturer's warranty (except on wearing parts)

Your entitlement to customer service within the warranty period is arranged individually in consultation with us.






Aqvella system



Sparkling water single lever mixer faucet including cooling and filter system. With swivelling outlet, side lever, laminar jet regulator and ceramic cartridge.

- set consisting of faucet and technical unit (matt black) with cooling system, filter, filter head and standard CO₂ cartridge. (425 g)
- technical unit: 455 x 210 x 425 mm (H x W x D)
- separate turning handle on the left for sparkling (classic + medium), chilled and filtered (still) water, control lever on the right for tap water
- integrated LED ring shows the different water modes with different colours.
- water temperature flexibly adjustable between 4 and 12 $^{\circ}\text{C}$
- $-\ \mbox{energy-saving}$ technology unit with low power consumption
- swivel range 360°
- drill Ø 35 mm

5021344	stainless steel coloured, high pressure	€ 2,879.96
5021345	black matt, high pressure	€ 2,951.93



Barella

Order no.





Single lever faucet. With **swivelling/pull-out** outlet (can be switched to stream or shower), side lever and ceramic cartridge.

- swivel range 360°
- drill-Ø 35 mm

Expected to be available from December 2025.

5011097	chrome, high pressure	€ 179.96
5011098	stainless steel coloured, high pressure	€ 202.46
5011099	black matt, high pressure	€ 202.46




Vireo

Calm reliability is the motto of the Vireo 6, which makes workflows at the heart of the kitchen considerably easier. Its distinctive design is modelled on professional kitchens and provides impressive freedom of action. Thanks to the flexible soft-touch hose, the water jet can easily reach every corner of the sink with single-handed operation. Other convenient features include simple switching between flow modes and the maximum possible swivel range of 360 degrees.

5 years manufacturer's warranty (except on wearing parts)

Factory customer service in Germany, Austria and the Netherlands



Vireo 6

CERAMIC

Single lever faucet. With side lever, 2-stream hand shower, laminar jet regulator, and ceramic cartridge. Arched outlet with soft-touch hose and outlet with conical holder.

- swivel range 360°
- drill Ø 35 mm

Expected to be available from April 2026.

5011100	stainless steel coloured, high pressure	€ 320.00
5011101	black matt, high pressure	€ 320.00




Lunaris

Order no.

The high, geometrically shaped outlet and the striking matt brushed finish give Lunaris a distinctive, elegant look. Thanks to the pull-out shower head with two flow modes and a 360-degree swivel range, this impressive single-lever mixer offers a wide radius of action. The high-quality ceramic cartridge guarantees precise mixing of cold and hot water and underscores the long-lasting durability of the faucet.

5 years manufacturer's warranty (except on wearing parts)

Factory customer service in Germany, Austria and the Netherlands



Lunaris



Single lever mixer. With **swivelling/pull-out** outlet (can be switched to stream or shower), side lever and ceramic cartridge. Shower hose with easy click attachment and click weight (500 g).

- swivel range 360°
- drill Ø 35 mm

Expected to be available from October 2025.

5011299 brushed black-nickel, high pressure

€ 604.50



Grace

With its slightly playful yet robust elegance, Grace has a strong presence. The base and head are strikingly black, with the chosen trend colour shimmering in between. The two-tone versions are complemented by the entirely matt black model. The swivel range is a convenient 360 degrees. Grace is "made in Germany" and equipped with a low-noise, high-quality cartridge.

10 years manufacturer's warranty (except on wearing parts)

Factory customer service in Germany and Austria



Grace CERANIC CERANIC SEAL D GERMANY BELGAQUA

Single lever faucet. With swivelling outlet, side lever and ceramic cartridge.

- swivel range 360°
- drill Ø 34-38 mm

5021340	black matt, high pressure	€ 582.21
5021341	stainless steel coloured-black matt, high pressure	€ 637.46
5021342	graphite-black matt, high pressure	€ 637.46
5021343	copper-black matt, high pressure	€ 637.46

NEW! X CERAMIC SEAL






Fit 1

Single lever faucet with swivelling outlet and ceramic cartridge.

- drill Ø 35 mm

5022290	chrome, high pressure	€ 241.99
5022291	black matt, high pressure	€ 326.80





Fit 2






Single lever mixer. With swivelling/pull-out hose with shower head (can be switched to stream or shower) and ceramic cartridge.

- swivel range 120°
- drill Ø 35 mm

5022292 chrome, high pressure	€ 338.91
5022293 black matt, high pressure	€ 458.47






Detergent dispenser Classic Style



Detergent dispenser. Capacity 300 ml. Filled from above. - drill Ø 26 mm

5022294	chrome	€ 341.25
5022295	black matt	€ 435.50





Bistro E






Single lever faucet. With swivelling outlet and spring-guided shower head (can be switched to stream or shower), side lever and ceramic cartridge.

- swivel range 360°
- drill-Ø 35 mm

Expected to be available from December 2025.

5022296 stainless steel, high pressure € 1,053.64





Detergent dispenser Modern Style

NEW! Rost fred



Detergent dispenser. Capacity 300 ml. Filled from above. - drill Ø 26 mm

5022297 stainless steel

€ 581.75





Pullboy Soft Fusion®

The Pullboy Soft Comfort Fusion system is ideally suited for the joint installation of a water conditioning device with a total width of 240 mm and a corresponding waste collection system. The perfectly coordinated modules $\,$ provide for the space-saving arrangement of all the necessary components in a **600 mm wide** sink base unit.


The installation is completed in just a few steps. And it can be flexibly adapted to the given installation situation. In the rear area there is sufficient space for water connections as well as hose and cable routing.

The reservoirs need to be positioned on the left.

Container fitting system/litres

Cabinet body	600
	17
	8
	29





Pullboy Soft Fusion® lid system



Lid system for Pullboy Soft Fusion®.

- dimensions: 283 x 335 mm (W x D)
- with anti-slip mat

8011798	anthracite, H 342 mm	€ 72.69
8011799	anthracite, H 492 mm	€ 74.71





Pullboy Versa® 265 K


Order no.

The Pullboy Versa waste system is ideally suited for a front design consisting of several parts and can be cut to size for all pull-outs with a nominal depth of

- with individual lids and the optional fixed complete lid
- with insert tray for secure positioning
- for mounting on existing pull-outs
- the height of the entire system is only 265 mm
- the complete lid can be mounted behind the top front to save space

Container fitting systems/litres						
Cabinet body	500	500	600	600	600	800/900/1000
	7	7	15 15	7	7 7	15 15 7
	15	7 7	13 13	7	7 7	7





Pullboy Versa® 265 K/800-4



per piece excl. VAT


For mounting on existing pull-outs with a nominal depth of 400 mm.

- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 44 (2 x 15/2 x 7) litres
- incl. individual lid
- total height 265 mm
- optional complete lid can be mounted behind the upper front to save space
- base tray 762 x 400 mm (W x D), can be cut to size



8012710 anthracite, H 265 mm	€ 150.42	
Optional accessories		
8012716 Pullboy® complete lid, anthracite, W 800 mm	€ 70.08	





Pullboy Versa® 265 K/900-4

NEW!


For mounting on existing pull-outs with a nominal depth of 400 mm.

- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 44 (2 x 15/2 x 7) litres
- incl. individual lid
- total height 265 mm
- optional complete lid can be mounted behind the upper front to save space
- base tray 862 x 400 mm (W x D), can be cut to size



8012712 anthracite, H 265 mm	€ 150.42
Optional accessories	
8012717 Pullboy® complete lid, anthracite, W 900 mm	€ 71.85





Pullboy Versa® 265 K/1000-4

NEW!

per piece excl. VAT

For mounting on existing pull-outs with a nominal depth of 400 mm.

- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 44 (2 x 15/2 x 7) litres
- incl. individual lid

Order no.

- total height 265 mm
- optional complete lid can be mounted behind the upper front to save space
- base tray 962 x 400 mm (W x D), can be cut to size



8012714	anthracite, H 265 mm	€ 150.42
Optional	accessories	
8012718	Pullboy® complete lid, anthracite, W 1000 mm	€ 73.87




Pullboy Versa® 265 S

The Pullboy Versa waste system is ideally suited for a front design consisting of several parts and can be cut to size for all pull-outs with a nominal depth of 500 mm.

- with individual lids and the optional fixed complete lid
- with insert tray for secure positioning
- for mounting on existing pull-outs
- the height of the entire system is only 265 mm
- the complete lid can be mounted behind the top front to save space

Container fitting systems/litres													
Cabinet body		50	00		5	00		600		800	/900/1	000	
		15	7		7	7		15 15	7	15	15	7	



Pullboy Versa® 265 S/800-4

NEW!

For mounting on existing pull-outs with a nominal depth of 500 mm.

- minimum installation depth (internal drawer dimensions) 500 mm
- waste volume 44 (2 x 7/ $\stackrel{?}{2}$ x 15) litres
- incl. single lid

500

265

- total height 265 mm
- $\boldsymbol{-}$ optional complete lid can be fitted behind the top front to save space
- base tray 762 x 500 mm (W x D), can be cut to size




8012711 anthracite, H 265 mm	€ 150.42
Optional accessories	
8012716 Pullboy® complete lid, anthracite, W 800 mm	€ 70.08

accessories

8012716 Pullboy® complete lid, anthracite, W 800 mm





Pullboy Versa® 265 S/900-4

NEW!

per piece excl. VAT

For mounting on existing pull-outs with a nominal depth of 500 mm.

- minimum installation depth (internal drawer dimensions) 500 mm
- waste volume 44 (2 x 7/ 2 x 15) litres
- incl. single lid


Order no.

- total height 265 mm
- optional complete lid can be fitted behind the top front to save space
- base tray 862 x 500 mm (W x D), can be cut to size



€ 150.42	
€ 71.85	





Pullboy Versa® 265 S/1000-4




For mounting on existing pull-outs with a nominal depth of 500 mm.

- minimum installation depth (internal drawer dimensions) 500 mm
- waste volume 44 (2 x 7/ 2 x 15) litres
- incl. single lid
- total height 265 mm
- optional complete lid can be fitted behind the top front to save space
- base tray 962 x 500 mm (W x D), can be cut to size



8012715 anthracite, H 265 mm	€ 150.42	
Optional accessories		
8012718 Pullboy® complete lid, anthracite, W 1000 mm	€ 73.87	



Pullboy® complete lid

NEW!

Powder-coated metal lid for installation depth 400 mm, for optional mounting.

- height 20 mm
- lid can be mounted behind the upper front to save space
- side mounting rail with a length of 400 mm

8012716	anthracite, W 800 mm	€ 70.08
8012717	anthracite, W 900 mm	€ 71.85
8012718	anthracite, W 1000 mm	€ 73.87









Holl SP colour change LED



Surface mounted lamp. Plastic housing, round, illumination without visible LED

Individual lamp without switch

- 3 watts, 24 V
- continuous control of the light colour from 2700 K warm white to 6500 K cold white
- memory function: the last setting is stored
- dimmer function: brightness continuously dimmable
- max. 80 lumen/watt
- 2000 mm supply line with mini-plug-in system
- MEC LED system compatible


This product contains a light source of energy efficiency class G.


The matching colour change function converters and remote controls can be found in catalogue 1 page 265–269/25 EN.

7063421	stainless steel coloured	€ 64.71
7063420	black	€ 64.71
Optional	accessories	
7062252	LED connection line 24, white, L 2000 mm	€ 4.85









Holl 68 colour change LED



Built-in lamp. Plastic housing, round, illumination without visible LED points.

Individual lamp without switch

- 3 watts, 24 V
- continuous control of the light colour from 2700 K warm white to 6500 K cold white
- memory function: the last setting is stored
- dimmer function: brightness continuously dimmable
- max. 80 lumen/watt
- 2000 mm supply line with mini-plug-in system
- MEC LED system compatible

This product contains a light source of energy efficiency class G.

The matching colour change function converters and remote controls can be found in catalogue 1 page 265–269/25 EN.

Ontional	acconorios	
7063425	black	€ 51.18
7063426	stainless steel coloured	€ 51.18

Optional accessories

7062252 LED connection line 24, white, L 2000 mm

€ 4.85









Andy colour change LED



Handle bar lighting. Aluminium housing with plastic corners. LED strip moulded in silicone, **not self-adhesive**, can be shortened every 21 mm. Illumination without visible LED points incl. retaining clips for handle mouldings.

Single light

- 6.5 watts per metre, 12 V
- Continuous adjustment of light colour from **2700 K** warm white to **6500 K** cool white
- max. 80 lumen/watt at **6500 K** cool white
- LED strip, feed on both sides
- 2000 mm supply cable on both sides
- incl. 4 end caps (2 x left, 2 x right)
- incl. 8 clips (2 x 4 pieces)

This product contains a light source of energy efficiency class G.

The matching colour change function converters and remote controls for individual lights without switches can be found in catalogue 1 page 265-269/25 EN.

7063400	L 1000 mm, stainless steel coloured	€ 116.97
7063402	L 2000 mm, stainless steel coloured	€ 181.01
7063418	L 2600 mm, stainless steel coloured NEW!	€ 231.09
7063401	L 1000 mm, black	€ 121.01
7063403	L 2000 mm, black	€ 186.05
7063415	L 2600 mm, black NEW!	€ 232.77
Optional	accessories	
7063404	Andy exterior angle, stainless steel coloured	€ 11.26
7063405	Andy exterior angle, black	€ 11.26
7063406	Andy internal corners, stainless steel coloured	€ 4.54
7063407	Andy internal corners, black	€ 4.54
7063408	Andy bande LED changements de couleurs, L 2000 mm, 13W/12V	€ 112.61
7063410	Andy end caps, stainless steel coloured	€ 12.44
7063411	Andy end caps, black	€ 12.44
7063412	Andy aluminium profile, L 2600 mm, stainless steel coloured	€ 77.98
7063413	Andy aluminium profile, L 2600 mm, black	€ 83.03
7063414	Andy bande LED changements de couleurs, L 2600 mm, 16 W/12 V	€ 147.48



Andy end caps

Set consisting of:

- 4 x end caps (2 x left, 2 x right)

7063410	stainless steel coloured	€ 12.44
7063411	black	€ 12.44







Andy bande LED changements de couleurs ♥ ♥ ♥ (€


LED strip moulded in silicone, not self-adhesive, can be shortened every 21 mm. For Andy handle strip lighting.

This product contains a light source with the energy efficiency class G.


7063408 L 2000 mm, 13W/12V	€ 112.61
7063414 L 2600 mm, 16 W/12 V	€ 147.48







Unseen colour change LED



Ambient light. Aluminium body, self-adhesive LED strip, can be shortened, with screwed end caps, no visible LED.

Individual lamp

- 7.5 watts per meter, 24 V
- continuous control of the light colour from 2700 K warm white to 5000 K neutral white
- max. 64 lumen/watt at **5000 K** neutral white
- 2000 mm two-sided supply line
- incl. drilling jig and end cap set
- MEC LED system compatible

This product contains a light source of energy efficiency class G.

You'll find further colour change function converters and remote controls in catalogue 1 page 265–269/25 EN.

7062491 L1800 mm	€ 114.12
7062490 L 2600 mm	€ 160.25
Optional accessories	
7062252 LED connection line 24, white, L 2000 mm	€ 4.85





Fluente LED aluminium coloured

Lamp mounted from below. Aluminium body with plastic cover, head to head installation possible.

Individual lamp with switch

- 230 V (high voltage)
- 75 lumen/watt
- 14 x 40 mm (H x W)
- 80 mm connection line
- cable outlet rear left side of lamp — max. 200 watts can be connected
- mains connection HV (7062249 white or 7062269 black) to be ordered separately

This product contains a light source of energy efficiency class G.

7063437 L 450 mm, 8 W, 4100 K neutral white	€ 79.81
7063438 L 600 mm, 10 W, 4100 K neutral white	€ 89.58
7063439 L 900 mm, 15 W, 4100 K neutral white	€ 119.59
7063440 L 1200 mm, 18 W, 4100 K neutral white	€ 143.89
7063433 L 450 mm, 8 W, 2900 K warm white	€ 79.81
7063434 L 600 mm, 10 W, 2900 K warm white	€ 89.58
7063435 L 900 mm, 15 W, 2900 K warm white	€ 119.59
7063436 L 1200 mm, 18 W, 2900 K warm white	€ 143.89

Fluente LED black matt



Lamp mounted from below. Aluminium body with plastic cover, head to head installation possible.

Individual lamp with switch

- 230 V (high voltage)
- 75 lumen/watt
- 14 x 40 mm (H x W)
- 80 mm connection line
- cable outlet rear left side of lamp
- max. 200 watts can be connected
- mains connection HV (7062249 white or 7062269 black) to be ordered separately

This product contains a light source of energy efficiency class G.

7063445	L 450 mm, 8 W, 4100 K neutraal wit	€ 87.78
7063446	L 600 mm, 10 W, 4100 K neutral white	€ 99.68
7063447	L 900 mm, 15 W, 4100 K neutral white	€ 132.33
7063448	L 1200 mm, 18 W, 4100 K neutral white	€ 158.60
7063441	L 450 mm, 8 W, 2900 K warm white	€ 87.78
7063442	L 600 mm, 10 W, 2900 K warm white	€ 99.68
7063443	L 900 mm, 15 W, 2900 K warm white	€ 132.33
7063444	L 1200 mm, 18 W, 2900 K warm white	€ 158.60



Mains connection line HV



— length 2000 mm with mini plug-in system and flat Euro plug

7062249 white	€ 10.21
7062269 black	€ 10.21



Connecting line HV


CE


- secondary for LED high voltage
- with mini plug-in system for 10 mm bore

7062257 L 150 mm, white	€ 7.35
7062258 L 500 mm, white	€ 8.39
7062259 L 1000 mm, white	€ 9.08
7062297 L 150 mm, black	€ 7.35
7062298 L 500 mm, black	€ 8.39
7062299 L 1000 mm, black	€ 9.08

CE







Brillante colour change LED

Underfloor light. Powder-coated aluminium profile, with matt black plastic cover incl. LED strip.

Single light without switch

- 12 VDC
- infinitely variable adjustment of light colour from 2200 K warm white to 6500 K cool white
- very high quality of light thanks to colour rendering index > 90
- optimum illumination of the work area thanks to innovative lens optics technology and asymmetrical light
- max. 129 lumen/watt at 6000 K cool white
- 2000 mm supply cable
- LIC/MEC LED system compatible

This product contains a light source of energy efficiency class E.

Further colour change function converters and remote controls can be found in catalogue 1 page 265-269/25 EN.


Expected to be available from November 2025

7064340 L 267 mm, 3.8 W	€ 54.62
7064341 L 367 mm, 5.3 W	€ 68.07
7064349 L 417 mm, 6.2 W NEW!	€ 71.01
7064342 L 467 mm, 6.9 W	€ 76.47
7064343 L 567 mm, 8.4 W	€ 83.19
7064344 L 767 mm, 11.5 W	€ 105.88
7064345 L 867 mm, 12.9 W	€ 116.81
7064346 L 967 mm, 14.5 W	€ 129.41
7064347 L 1167 mm, 17.6 W	€ 142.02
Optional accessories	
7064348 Connecting element, black matt	€ 9.16









Easytrack Power Spot



Spot for Easytrack track. Powder-coated aluminium housing.

- 20 watt, 48 VDC
- 3000 K warm white
- very high quality of light thanks to colour rendering index >90
- max. 100 lumen/watt at 3000 K warm white
- can be rotated and swivelled
- ideal for accentuation or useful light
- light angle 36°
- with integrated ZigBee 3.0 control unit

This product contains an energy efficiency class F light source.

Tool-free click-in mounting in the track. Held in place by magnet or additional mechanical lock!

Expected to be available from December 2025.

7065099 black matt

€ 231.09









Easytrack Sun Romo



Pendant light for Easytrack busbar. Aluminium housing powder-coated.

- 37 watt, 48 VDC
- stepless control of the light colour from 2700 K warm white to 6000 K cold white
- very high light quality thanks to colour rendering index > 90
- max. 52 lumen/watt at **6000 K** cold white
- the maximum pendant length is 1500 mm and can be continuously adjusted.
- with integrated Zigbee 3.0 controller

This product contains a light source with the energy efficiency class F. Tool-free click-in installation in the track. Is held in place by mechanical locking!

Expected to be available from December 2025.

7065132 black matt

€ 1,050.42





Easytrack Lens



Pendant light with glass lens for light distribution for Easytrack busbar. Steel housing, high-gloss black chrome-plated.

- 6 watt, 48 VDC
- stepless control of the light colour from 2700 K warm white to 6000 K
- very high light quality thanks to colour rendering index > 90
- max. 86 lumen/watt at 6000 K cold white
- the maximum pendant length is 1350 mm and can be continuously adjusted.
- with integrated Zigbee 3.0 controller


This product contains a light source with the energy efficiency class E. Tool-free click-in installation in the track. Is held in place by mechanical locking!

Expected to be available from December 2025.

7065130 black matt

€ 251.26





FW function converter EASi

NEW! @ W W CE

The FW function converter for colour-changing lighting systems in the EASi

- white
- 12 VDC
- 2000 mm mains connection line
- $-\mbox{\ can}$ be switched using the optional EASi series radio remote control

7063423	36 W, 12 V	€ 131.09
7063424	72 W, 12 V	€ 191.68





FB radio remote control EASi





Radio remote control. Several radio remote controls possible. Alternative switching can be implemented.

- ON/OFF function, group selector switch, light intensity and light colour switch
- stepless setting of the brightness
- setting of the colour temperature in three stages (WHC3 mode)
- 72 x 21 mm (Ø x D)
- magnetic holder for wall mounting
- the battery compartment of the EASi DISK holds two AAA alkaline Mn mini batteries, which are provided.
- configurations can be made in which one or more power supply units are controlled by several radio remote controls (max. 7).
- can only be used in combination with FW function converter EASi

7063422 black € 74.88



Mira Eck Snap

The elegant black triangular glass front features two sockets and a pull-out USB C charging cable. With its practical snap function for the USB connector cable, Mira triangle glass meets the highest requirements for contemporary kitchen accessories. It hardly takes up any space and livens up the often unused corner area. The perfect harmony of technology and design means this smart solution fits into almost any furnishing style.



Mira triangle USB C Snap

CE

Corner socket element. 2-way and **extendable USB C charging cable**. Practical snap-in and snap-out function of the USB-C plug cable in the housing. Front in printed and scratch-resistant glass, for 90° corner.

- aluminium housing, black
- 230 V/16 A
- 1 x USB charger type C, 5 VDC, IA I out: 2050 mA
- 500 mm extendable cable length USB C cable
- 181 x 208 x 151 mm (H x W x D)
- $-\ 2000\ mm$ mains connection line, earthing contact plug enclosed loose
- cable outlet behind or below

Expected to be available from December 2025.

7053215	aluminium black/glass black	€ 192.02
7053216	aluminium black/glass white	€ 192.02
7053217	aluminium black/glass stainless steel col.	€ 192.02




Piccolino

Socket element. Retractable. For wall cabinets or worktops. Given light pressure on the cover, the unit slides out via a spring mechanism to provide a convenient and safe power supply. Simple and flush retraction when not in use. The Piccolino can therefore be installed **above** drawers without any problems.

The Piccolino telescopes when closed, giving it an overall depth of less than 48 mm and is also splash-proof when closed.

- spring-controlled pop-up mechanism at the touch of a finger
- simple and quick installation
- retrofitting possible
- very low installation depth
- flush installation possible
- IP44 when closed





Piccolino


Œ

Socket element. Retractable. With 2 earthed plug sockets, 1 USB Type-C charger, 30 watts. For installation in worktops.

- material plastic, black
- cover stainless steel or black matt
- 1 x USB charger type C, 5 VDC, IA/I out: 1100 mA
- 2000 mm mains connection line with Schuko plug
- drill Ø ca. 68 mm
- for panel thickness from 16 mm, mounted by screw ring
- cable outlet below

7053210 cover stainless steel	€ 134.45
7053211 cover black matt	€ 144.54
7053224 cover copper coloured	€ 144.54
7053223 cover gunmetal	€ 144.54





Piccolino QI USB C




Socket element. Retractable. With 1 earthed plug socket, 2-way USB charger type C, 45 watts and QI charging function in the lid.

- material plastic, black
- cover black glossy glass
- 2 x USB charger type C, 5 VDC, IA/I out: 1100 mA
- 2000 mm mains connection line with earthed plug
- drill Ø ca. 68 mm
- for worktop thicknesses from 16 mm, fixing via threaded ring
- cable outlet underneath

7053222	cover in glossy white coloured glass	€ 195.94
7053212	cover in glossy black coloured glass	€ 195.94





Evoline® Spin



Socket element. 2-fold. The sockets are exposed by turning the element manually.


- installation depth 49 mm, so installation above drawers is possible
- 1 x earthed safety socket 250 V/16 A
- 1 x Euro socket 2.5 A
- cut-out dimensions approx. 120 x 92 mm
- 2500 mm mains connection line, mains plug included separately
- increased touch protection
- suitable for flush mounting
- cable outlet below

Expected to be available from December 2025.

8031231 black matt

€ 159.83







Evoline® Spin USB C



Socket element. 1-fold with USB C charger (charging station). The sockets are exposed by turning the element manually.

- installation depth 49 mm, so installation above drawers is possible
- 1 x earthed safety socket 230 V/16 A
- 1 X USB charger type C, 20 watts
- cut-out dimensions approx. 120 x 92 mm
- 2500 mm mains connection line, mains plug included separately
- increased touch protection
- suitable for flush mounting
- cable outlet below

Expected to be available from January 2026.

8031232 black matt

€ 184.54





Evoline® Qi Charger

NEW! CE

Charging coil. Built-in unit Ø 60 mm. Can be installed horizontally, vertically, or flush-mounted.


- incl. mobile phone charging with MagSafe technology, max. 15 W
- external power supply unit 230 V
- Apple Watch and AirPods can also be charged

Expected to be available from January 2026.

8031233 black matt

€ 157.56





00



Evoline® Circle80 with sliding DisQ



Socket element. 1-fold. With double USB charger (charging station). When closed, the element is almost flush with the worktop. The socket is exposed by sliding the cover.

- Qi inductive charging station in the cover (wireless charger). Wireless charging of mobile phones based on the Qi standard, 20-watt adapter included separately.
- installation depth 48.5 mm
- sliding cover with wireless charging function, black matt
- 1 x double USB charger type A+C, 18 watts
- incl. mobile phone charging with MagSafe technology, max. 15 watts
- Apple Watch and AirPods can also be charged
- 2500 mm mains connection line, mains plug included separately
- drill Ø ca. 80 mm
- cable outlet below
- installation from above

8031234 black matt	€ 345.00
Recommendations	
7053053 Hole saw, Ø 80 mm, for Elevator, VersaLift, Circle 80	€ 49.51



Evoline® Circle80 with sliding lid



Socket element. 1-fold. With double USB charger (charging station). When closed, the element is almost flush with the worktop. The socket is exposed by sliding the cover.

- installation depth 48.5 mm
- sliding cover, black matt
- 1 X double USB charger type A+C, 18 watts
- 2500 mm mains connection line, mains plug included separately
- drill Ø ca. 80 mm
- cable outlet below
- installation from above


8031235 black matt	€ 197.90
Recommendations	
7053053 Hole saw, Ø 80 mm, for Elevator, VersaLift, Circle 80	€ 49.51



VersaCharger

Smart technology in impressive design: the VersaCharger provides fast, wireless charging for your smartphone battery. The retractable Plug&Play charger is compatible with Qi technology and comes with a power cable and Euro/USB plug. Once installed, no further configuration is required.





VersaCharger

Charging coil. Installation unit Ø 80 mm with a Qi wireless coil. With mains connection cable.


- operating voltage 5 V
- charging power max. 15 W
- external power supply wall plug transformer 230 V
- 1500 mm supply line
- installation without cover

7053309	black matt	€ 151.26
Recomm	endations	
7053053	Hole saw, Ø 80 mm, for Elevator, VersaLift, Circle 80	€ 49.51



VersaCharger

With a diameter of just 42 millimetres and a refined metal surface, VersaPick is the smart charging station for mobile devices. It integrates flush into worktops or kitchen furniture. Shapely and minimalist, it offers a USB C port and a USB A port with an almost two-meter-long USB A connection cable.



VersaPick

Charging station. For installation in worktop, front panel or side wall. - drill-Ø 35 $\rm mm$

- installation depth 40 mm
- for panel thicknesses from 5 mm
- USB charger type A+C, max. 18 watts
- 1800 mm mains connection line with USB A
- flush installation possible
- cable outlet at the bottom

7053310	stainless steel coloured	€ 80.25
7053311	black matt	€ 80.25
7053312	white	€ 80.25
7053313	gunmetal	€ 80.25





Hole saw


CE

- material HSS for wood/plastic
- cutting depth up to 38 mmwith reception tool incl. centre drill



Solo

Aesthetically outstanding with perfect ease of use: the small opening for the USB C port is positioned exactly in the centre above the socket. The sleek design of the low-profile built-in socket is available in two colours. Elegant and extremely understated, it fits into many modern kitchen architectures.




Solo single socket

Socket element, 1-fold with USB C charger (charging station). For installation in the worktop, front panel or side wall.

- drill Ø 56 mm
- installation depth 45 mm
- 1 x USB charger type C, 20 watt
- 2000 mm mains connection line, two-pin earthed plug supplied loose
- cable outlet back

7053330	roestvrij staal	€ 85.97
7053331	black matt	€ 85.97




Standard 6



Supporting foot. Classic pillar shape of the best and solid workmanship for universal use

- tube-Ø 60 mm, may be shortened apart from stainless steel coloured
- height plus 30 mm height adjustment
- load-bearing capacity ca. 150 kg

3010002	chrome polished, H 705 mm	€ 44.10
3010004	chrome polished, H 820 mm	€ 52.23
3010011	chrome polished, H 870 mm	€ 53.87
3011013	chrome polished, H 1100 mm	€ 70.48
3010022	chrome matt, H 705 mm	€ 55.43
3010023	chrome matt, H 820 mm	€ 59.50
3010024	chrome matt, H 870 mm	€ 65.12
3010025	chrome matt, H 1100 mm	€ 80.42
3010019	stainless steel, H 705 mm	€ 84.66
3010020	stainless steel, H 820 mm	€ 92.53
3010021	stainless steel, H 870 mm	€ 95.12
3011023	stainless steel, H 1100 mm	€ 114.14
3010036	stainless steel coloured, H 820 mm	€ 59.50
3010037	stainless steel coloured, H 870 mm	€ 63.39
3011038	stainless steel coloured, H 1100 mm	€ 77.57
3010001	white glossy, H 705 mm	€ 44.87
3010017	black matt pearly, H 705 mm	€ 58.03
3010026	black matt pearly, H 820 mm NEW!	€ 80.63
3010027	black matt pearly, H 870 mm NEW!	€ 83.22
3010028	black matt pearly, H 1100 mm NEW!	€ 99.36



Connero 1

NEW!


Supporting foot, square, may not be shortened.

- height plus 5 mm height adjustment
- 70 x 70 mm
- can be mounted flush to corner/centrally
- load-bearing capacity ca. 120 kg

Expected to be available from October 2025.

3011105	black matt, H 720 mm	€ 142.02
3011106	black matt, H 870 mm	€ 173.95
3011107	black matt, H 1100 mm	€ 196.64

TRADUR® Support feet Order no. Description



Connero 2




per piece excl. VAT

Supporting foot. Square, cannot be shortened.

- height plus 5 mm height adjustment
- 70 x 70 mm
- can be mounted flush with the corner or centrally
- with 2 integrated earthed plug sockets
- supply line 1900 mm, 3-core, free ends
- bearing capacity approx. 120 kg

Expected to be available from October 2025.

3011108 black matt, H 720 mm	€ 290.76
3011109 black matt, H 870 mm	€ 303.95
3011110 black matt, H 1100 mm	€ 354.62



Connero 3



Supporting foot. Square, cannot be shortened.

- height plus 5 mm height adjustment
- 70 x 70 mm
- can be mounted flush with the corner or centrally
- with 1 integrated earthed plug socket and USB A/C charging function (USB A Quick Charge 3.0/USB C Power Delivery 3.0)
- supply line 1900 mm, 3-core, free endsbearing capacity approx. 150 kg

Expected to be available from October 2025.

3011111	black matt, H 720 mm	€ 445.38
3011112	black matt, H 870 mm	€ 457.98
3011113	black matt, H 1100 mm	€ 508.40

Order no. Description

Connero 1 slanted



per piece excl. VAT

Console. With mounting plat.

- slanted
- aluminium profile 70 x 70 mm
- max. load per pair approx. 60 kg given even distribution, max. spacing of the consoles of 900 mm and max. projection of the plates of 250 mm

Expected to be available from October 2025.

3021194 black matt, H 170 mm

€ 100.84



Connero 2 slanted



Console. With mounting plat.

- slanted
- aluminium profile 70 x 70 mm
- with 2 integrated earthing contact sockets
- supply line 1500 mm, 3-wire, free ends
- connection through the worktop
- max. load per pair approx. 60 kg given even distribution, max. spacing of the consoles of 900 mm and max. projection of the plates of 250 mm

Expected to be available from October 2025.

3021195 black matt, H 170 mm

€ 217.65

Connero 3 slanted



Console. With mounting plat.


- slanted
- aluminium profile 70 x 70 mm
- with 1 integrated earthed plug socket and USB A/C charging function (USB A Quick Charge 3.0/USB C Power Delivery 3.0)
- supply line 1500 mm, 3-wire, free ends
- connection through the worktop
- max. load per pair approx. 60 kg given even distribution, max. spacing of the consoles of 900 mm and max. projection of the plates of 250 mm

Expected to be available from October 2025.

3021196 black matt, H 170 mm

€ 372.27

(€




Rhodos 1

Order no.

Console.

- aluminium profile 80 x 80 mm
- max. load per pair approx. 60 kg given even distribution, max. spacing of the consoles of 900 mm and max. projection of the plates of 250 mm

3023046	stainless steel coloured	d, H 170 mm	€ 149.77
3023044	stainless steel coloured	d, H 230 mm	€ 154.35
3023062	black matt, H 170 mm	NEW!	€ 165.55
3023063	black matt, H 230 mm	NEW!	€ 173.11




Rhodos 2

Console.

- aluminium profile 80 x 80 mm
- with $\stackrel{\cdot}{\text{one or two}}$ integrated earthing contact sockets
- supply line 1500 mm, 3-wire, free ends
- connection through the worktop
- max. load per pair approx. 60 kg given even distribution, max. spacing of the consoles of 900 mm and max. projection of the plates of 250 mm

3023047	stainless steel colourea, H 1/0 mm, I socket	€ 266.24
3023045 stainless steel coloured, H 230 mm, 2 sockets		€ 274.55
3023064	black matt, H 170 mm, 1 socket NEW!	€ 278.99
3023065	black matt, H 230 mm, 2 sockets NEW!	€ 313.45



Rhodos 3


Console.

- slanted
- aluminium profile 80 x 80 mm
- max. load per pair approx. 60 kg given even distribution, max. spacing of the consoles of 900 mm and max. projection of the plates of 250 mm

3023040	stainless steel coloured, H 170 mm	€ 161.79
3023060	black matt, H 170 mm NEW!	€ 176.29

Order no.





Rhodos 4




Console.

- slanted
- aluminium profile 80 x 80 mm
- with one integrated earthing contact socket
 supply line 1500 mm, 3-wire, free ends
 connection through the worktop

- max. load per pair approx. 60 kg given even distribution, max. spacing of the consoles of 900 mm and max. projection of the plates of 250 mm

3023041	stainless steel coloured, H 170 mm	€ 274.55
3023061	black matt, H 170 mm NEW!	€ 295.15





Cutlery insert Kvalito

NEW!


Cutlery insert.

- anthracite flocking
- water-repellent
- edge can be cut
- H 48 mm
- min./max. widths and depths, see dimensional drawings
- modular for use with all drawer systems
- incl. dividers and profile

Expected to be available from November 2025.

8034287	for 400 mm cabinet, anthracite	€ 124.79
8034288	for 450 mm cabinet, anthracite	€ 127.31





Kvalito supplementary bowl



Supplementary set.

- anthracite flocking
- water-repellent
- edge can be cut
- H 48 mm
- $-\ \mbox{min./max.}$ widths and depths, see dimensional drawings
- modular for use with all drawer systems
- including divider and profile

Expected to be available from November 2025.

8034289	100 mm, anthracite	€ 59.24
8034290	150 mm, anthracite	€ 62.61



TurnMotion

The TurnMotion III swivel fitting is incredibly versatile – it is suitable for both base and tall cabinets. The 360° swivel function and partial extension of the tray offer outstanding ease of use. All utensils and supplies are within easy reach. The highly effective use of storage space is also enhanced by the flat design of the tray.





TurnMotion shelf III

With the TurnMotion III rotating fitting, you have all your supplies, spices, and kitchen utensils within easy reach thanks to its 360° rotation function.

- fits a 600 mm wide cabinetload capacity up to 20 kg
- non-slip surface
- 66.2 x 481 x 481 mm (H x W x D)

8031198 anthracite

€ 176.47



ChefsTable

The ChefsTable takes kitchen organisation to a whole new level. Equipped with a clever parallel swivel mechanism, this table swivel fitting makes it possible to gently and safely swing out heavy equipment. Whether for the Thermomix or other kitchen appliances. The swivel fitting is designed for all kitchen utensils up to a load capacity of 16 kg. Infinitely adjustable for cabinet widths from 400 to 600 mm.





ChefsTable swivel fitting

Swivel fitting.

- infinitely adjustable from 400 to 600 mm cabinet width
- bearing capacity 16 kg
- integrated self-closing mechanism
- mounting behind the hinged doors

8031250 anthracite € 318.49

Order no. Des



Towel holder for handle bars




 $\boldsymbol{-}$ no installation work, simply attach to the existing handle strip

Expected to be available from November 2025.

8032100	L 270 mm, polished stainless steel	€ 52.10
8032102	L 470 mm, polished stainless steel	€ 85.29
8032101	L 270 mm, aluminium anodised, black matt	€ 49.58
8032108	L 470 mm, aluminium anodised, black matt	€ 82.35





Lucento profile system



Universally applicable profile system made of black anodised aluminium for living areas, kitchens or bathrooms.

- profile with LED lighting and light diffuser
 stepless control of the light colour from 2700 K warm white to 6500 K cold white
- 24 V


Set consisting of:

- base profile
- wall profile
- 2 x cover profiles
- 2 x LED strip 9.8 watts per metre, each with 2 x 2000 mm supply cable (1200 and 1500 mm only one)
- strain relief for LED stripfittings bag with 2 end caps and 1 inside corner
- fittings bag wall mounting

This product contains a light source with the energy efficiency class C.

The matching colour change function converters and remote controls can be found in catalogue 1 page 265–269/25 EN.

7062450 1200mm, 23.52 W, black	€ 306.30
7062451 1500mm, 29.4 W, black	€ 344.45
7062452 1800mm, 35.28 W, black	€ 382.77
7062453 2600mm, 50.96 W, black	€ 493.19
Optional accessories	
7062465 Lucento fittings bag, black	€ 6.30
Spare parts	
7062463 Lucento end caps, left, black	€ 1.26
7062464 Lucento end caps, right, black	€ 1.26
-	




Lucento distribution box

LED convertor, mains connection or distributor can be installed invisibly in the box.

- high-quality aluminium design
- installation directly on the profile
- cavity for the concealed installation of drivers, distributors, etc.
- magnetic rear wall
- incl. 5 magnets and 5 magnetic hooks $\,$
- 165.5 x 420 x 150 mm (H x W x D)

7062454 black

€ 380.59



Lucento single hook


Single hook for attaching to the Lucento profile system.

- high-quality aluminium design
- simply hook into the profile
- set of 5
- width 20 mm

7062455 black, PU 5 pieces

€ 13.44





Lucento paper roll holder


Suitable for standard kitchen rolls. Easy to hook in and out.

- high-quality aluminium design
- simply hook into the profile
- 337 x 93 mm (W x D)

7062456 black

€ 89.75





Lucento magnetic knife holder


Magnetic knife holder for the Lucento profile system.

- high-quality aluminium design
- installation directly on the profile with securing mechanism
- 114 x 420 mm (H x W)

7062457 black

€ 147.56





Lucento wine glass holder


Suitable for wine glasses up to \varnothing 100 mm. Easy to hook in and out.

- high-quality aluminium design
- simply hook into the profile
- four slots with plastic protection profile against scratches
- 420 x 130.6 mm (W x D)

7062458 black

€ 152.69






Lucento universal tray duct

Flat shelf for the Lucento profile system.

- high-quality aluminium design
- simply hook into the profile
- 25 x 420 x 120 mm (H x W x D)

7062459 black

€ 104.96




Lucento universal shelf high

High shelf for the Lucento profile system.

- high-quality aluminium design
- simply hook into the profile 212 x 420 x 150 mm (H x W x D)

7062460 black € 147.65






Lucento tablet holder

Shelf for tablets for the Lucento profile system.

- high-quality aluminium design
- simply hook into the profile
- width 200 mm
- height 263 mm

7062461 black € 168.49





Lucento tray small

Flat shelf for the Lucento profile system.

- high-quality aluminium design
- simply hook into the profile
- $-25 \times 150 \times 115 \text{ mm (H x W x D)}$

7062462 black € **99.58**



Lucento end caps

- caches d'extrémité pour système de profil Lucento

7062463	left, black	€ 1.26
7062464	right, black	€ 1.26



Lucento fittings bag

Fittings bag for Lucento profile system.

- consisting of 2 end caps and 1 inside corner

7062465 black € 6.30



Up


Lucento shelf module

High-quality shelves for the Lucento profile system, black. Flexible use, as $\boldsymbol{\alpha}$ standalone shelf or in combination with kitchen furniture. Can be used with the Lucento profile system.

- high-quality anodized aluminum
- quick and easy installationversions: up/down

7062466	H 360 mm, W 300 mm	€ 270.17
7062467	H 360 mm, W 450 mm	€ 309.41
7062468	H 360 mm, W 600 mm	€ 349.50
7062469	H 1080 mm, W 300 mm, Up	€ 516.81
7062470	H 1080 mm, W 450 mm, Up	€ 604.20
7062471	H 1080 mm, W 600 mm, Up	€ 688.24
7062472	H 1152 mm, W 450 mm, Up	€ 621.85
7062473	H 1224 mm, W 300 mm, Up	€ 551.85
7062474	H 1080 mm, W 300 mm, Down	€ 516.81
7062475	H 1080 mm, W 450 mm, Down	€ 604.20
7062478	H 1080 mm, W 600 mm, Down	€ 688.24
7062476	H 1152 mm, W 450 mm, Down	€ 621.85
7062477	H 1224 mm, W 300 mm, Down	€ 551.85





transFORM shelving system Sail


Shelving system. Wall rail in matte black, powder-coated. Shelves in matte sand, powder-coated.

- groove on both sides to accommodate 8 mm LED strips (not included)
- quick and easy installation
 load capacity approx. 8 kg per shelf

Expected to be available from October 2025.

8041247	900 x 600 x 200 mm (H x W x D), 3 shelves	€ 607.98
8041248	1500 x 600 x 200 mm (H x W x D), 5 shelves	€ 950.00





transFORM shelving system Wave


Shelf system. Wall rail in black matt, powder-coated. Shelves in sand matt, powder-coated.

- grooves on both sides to accommodate 8 mm LED strips (not included in the scope of delivery)
- simple and quick installation
- bearing capacity approx. 6 kg per shelf


Expected to be available from October 2025.

8041249 1500 x 450 x 230 mm (H x B x T), 3 shelves

€ 665.13








Steps 1 wall shelf

Shelf system. Black matt, powder-coated.

- material steel
- $-\ \mbox{simple}$ and quick installation, with concealed fastenings
- bearing capacity 7.5–12 kg with evenly distributed load

Expected to be available from October 2025.

W 750 mm, 7.5 kg	€ 171.01
W 900 mm, 9 kg	€ 190.00
W 1050 mm, 10.5 kg	€ 209.16
W 1200 mm, 12 kg	€ 246.97
_	W 750 mm, 7.5 kg W 900 mm, 9 kg W 1050 mm, 10.5 kg W 1200 mm, 12 kg



Steps 2 wall shelf rail

Shelf system. Black matt, powder-coated.

- material steel
- simple and quick installation, with concealed fastenings
- bearing capacity 7.5–12 kg with evenly distributed load

Expected to be available from October 2025.

8041264 W 750 mm, 7.5 kg	€ 209.16
8041265 W 900 mm, 9 kg	€ 227.98
8041266 W 1050 mm, 10.5 kg	€ 265.97
8041267 W 1200 mm, 12 kg	€ 284.96






Wall connection profile Slim-Line Plus

NEW!

The top and bottom parts are inserted separately as strips and assembled as a set.

- profile length 2.5 m.
- one-handed installation possible thanks to adhesive tape on the back
- particularly stable fastening by means of screws/nails

Only available in units of 10 pieces = 25 m.





Slim Line Plus end cap universal



9010040	stainless steel coloured	€ 1.05
9010041	black	€ 1.05



Slim Line Plus internal corner 90°



9010042	stainless steel coloured	€ 1.05
9010043	black	€ 1.05



Slim Line Plus external corner 90°



9010044	stainless steel coloured	€ 1.05
9010045	black	€ 1.05




Slim Line Plus internal corner 135°

|--|

9010046	stainless steel coloured	€ 1.05
9010047	black	€ 1.05





Kitchen connection box for individual appliances NEW!

The practical kitchen electrical connection is already equipped with all the necessary connection cables for dual hobs, teppanyaki grills, ovens, dishwashers and ventilation devices. Starting from the cooker socket (11 KW), the 230 V electrical appliances in the kitchen can easily be connected using the Schuko couplings, creating a simple and space-saving electrical connection.

Technical specifications:

- input voltage 400 V
- preliminary fuse max. 16 A
- cable and socket tested according to IEC 60670-1 (DIN EN 60670-1), IEC 60670-22 (DIN EN 60670-22) and IEC 61535 (DIN EN 61535)
- construction: The socket housing is screwed and sealed against unauthorised opening. This prevents any interference in the wiring. The internal wiring is printed on a label.
- grey distribution box 36 x 115 x 107 mm (H x W x L)

Calculation of the connection value of the kitchen connection box:

- total connected value cooker socket 11 KW (given symmetrical distribution)
- 3 earthed box couplings (3-pin connection) max. 3680 W (single-phase) The device corresponds to protection class IP20 and is not suitable for use in wet rooms. Connection and commissioning may only be carried out by a

For safety reasons, a power strip should not be used to connect several electricity consumers via the box coupling.

Expected to be available from November 2025.

7012031 1.8 m/1.3 m (supply line) cable length, white

€ 83.19

Order no.





MTS profile



For suspension strips. To bypass lines: drill holes are placed outside the lines and the suspension strip is then fed through both profiles.

- suitable for all common suspension strips $% \left(-\right) =\left(-\right) \left(-\right)$
- lateral flexibility when mounting the MTS profiles, because the suspension strip is inserted or the profiles are pushed on
- 15 x 260 x 15 mm (H x W x D)
- load capacity up to max. 230 kg/profile
- suitable fasteners need to be selected according to the wall type
- use at least 2 screws per profile

The fitter is responsible for secure attachment!

1111160 zinc-coated

€ 21.76





Livaro AC

Stool with armrests.

- variable height adjustment
- front: seat and backrest fabric (100 % PES, **014**)
- back: fabric (100 % PES, **015**)
- foam padded, seat: RG 28, backrest: RG 25
- abrasion resistance >40.000
- closed backrest
- max. load ca. 130 kg
- 360° rotatable
- height to top edge of armrests 78–99 cm
- width incl. armrests 55 cm
- seat height adjustable from 66.5–86.5 cm
 with felt glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

Expected to be available from January 2026.

3031613	frame black matt, angular, cover red brown	€ 499.92
3031614	frame black matt, angular, cover blue	€ 499.92
3031615	frame black matt, angular, cover anthracite	€ 499.92
3031619	frame black matt, round, cover red brown	€ 494.96
3031620	frame black matt, round, cover blue	€ 494.96
3031621	frame black matt, round, cover anthracite	€ 494.96
3031616	frame pearl grey metallic, angular, cover red brown	€ 499.92
3031617	frame pearl grey metallic, angular, cover blue	€ 499.92
3031618	frame pearl grey metallic, angular, cover anthracite	€ 499.92
3031622	frame pearl grey metallic, round, cover red brown	€ 494.96
3031623	frame pearl grey metallic, round, cover blue	€ 494.96
3031624	frame pearl grey metallic, round, cover anthracite	€ 494.96



Livaro C





- Stool. - variable height adjustment
- front: seat and backrest fabric (100 % PES, **014**)
- back: fabric (100 % PES, **015**)
- foam padded, seat: RG 28, backrest: RG 25
- abrasion resistance >40.000
- closed backrest
- max. load ca. 130 kg
- 360° rotatable
- seat height adjustable from 63.5–83.5 cm
- with felt glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

Expected to be available from January 2026.

3031625	frame black matt, angular, cover red brown	€ 485.63
3031626	frame black matt, angular, cover blue	€ 485.63
3031627	frame black matt, angular, cover anthracite	€ 485.63
3031631	frame black matt, round, cover red brown	€ 480.67
3031632	frame black matt, round, cover blue	€ 480.67
3031633	frame black matt, round, cover anthracite	€ 480.67
3031628	frame pearl grey metallic, angular, cover red brown	€ 485.63
3031629	frame pearl grey metallic, angular, cover blue	€ 485.63
3031630	frame pearl grey metallic, angular, cover anthracite	€ 485.63
3031634	frame pearl grey metallic, round, cover red brown	€ 480.67
3031635	frame pearl grey metallic, round, cover blue	€ 480.67
3031636	frame pearl grey metallic, round, cover anthracite	€ 480.67




























Sitro AC



- variable height adjustment
- front: seat and backrest fabric (100% PES, 014) with pocket spring core (density 28)
- back: fabric (100 % PES, **015**)
- abrasion resistance >40,000
- closed backrest
- load-bearing capacity up to approx. 130 kg
- 360 $^{\circ}$ swivel
- height to top edge of armrests 79.5–99.5 cm $\,$
- width including armrests 55 cm
- seat height adjustable from 65.5–85.5 cm
 with felt gliders
- delivered disassembled

Delivery time from stock.

Current delivery time information on naber.com

Expected to be available from January 2026.

3031637	frame black matt, angular, cover red brown	€ 506.30
3031638	frame black matt, angular, cover blue	€ 506.30
3031639	frame black matt, angular, cover anthracite	€ 506.30
3031643	frame black matt, round, cover red brown	€ 501.64
3031644	frame black matt, round, cover blue	€ 501.64
3031645	frame black matt, round, cover anthracite	€ 501.64
3031640	frame pearl grey metallic, angular, cover red brown	€ 506.30
3031641	frame pearl grey metallic, angular, cover blue	€ 506.30
3031642	frame pearl grey metallic, angular, cover anthracite	€ 506.30
3031646	frame pearl grey metallic, round, cover red brown	€ 501.64
3031647	frame pearl grey metallic, round, cover blue	€ 501.64
3031648	frame pearl grey metallic, round, cover anthracite	€ 501.64

Order no.









- variable height adjustment
- front: seat and backrest fabric (100 % PES, **014**) padded with pocket spring core (RG 28)
- back: fabric (100 % PES, **015**)
- abrasion resistance >40.000
- closed backrest
- max. load ca. 130 kg
- 360° rotatable
- seat height adjustable from 66.5–86.5 cm
- with felt glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

Expected to be available from January 2026.

3031649	frame black matt, angular, cover red brown	€ 495.71
3031650	frame black matt, angular, cover blue	€ 495.71
3031651	frame black matt, angular, cover anthracite	€ 495.71
3031655	frame black matt, round, cover red brown	€ 490.76
3031656	frame black matt, round, cover blue	€ 490.76
3031657	frame black matt, round, cover anthracite	€ 490.76
3031653	frame pearl grey metallic, angular, cover blue	€ 495.71
3031654	frame pearl grey metallic, angular, cover anthracite	€ 495.71
3031652	frame pearl grey metallic, angular, cover red brown	€ 495.71
3031658	frame pearl grey metallic, round, cover red brown	€ 490.76
3031659	frame pearl grey metallic, round, cover blue	€ 490.76
3031660	frame pearl grey metallic, round, cover anthracite	€ 490.76



anthracite(014)1


blue(014)↑ blue(015)↓

red brown(014)↑

red brown(015)↓















62,5-82,5











Artea C

- Stool.

 variable height adjustment
- front: seat and backrest fabric (100 % PES, **014**)
- back: fabric (100 % PES, **015**)
- foam padded, seat: RG 28, backrest: RG 25
- abrasion resistance >40.000
- closed backrest
- max. load ca. 130 kg
- 360° rotatable
- total height 95.5–115.5 cm
- seat depth 41 cm
- seat width 37 cm
- external width 49 cm
- seat height adjustable from 62.5–82.5 cm
- with felt glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

3031661	frame black matt, angular, cover red brown	€ 449.75
3031662	frame black matt, angular, cover blue	€ 449.75
3031663	frame black matt, angular, cover anthracite	€ 449.75
3031667	frame black matt, round, cover red brown	€ 444.96
3031668	frame black matt, round, cover blue	€ 444.96
3031669	frame black matt, round, cover anthracite	€ 444.96
3031664	frame pearl grey metallic, angular, cover red brown	€ 449.75
3031665	frame pearl grey metallic, angular, cover blue	€ 449.75
3031666	frame pearl grey metallic, angular, cover anthracite	€ 449.75
3031670	frame pearl grey metallic, round, cover red brown	€ 444.96
3031671	frame pearl grey metallic, round, cover blue	€ 444.96
3031672	frame pearl grey metallic, round, cover anthracite	€ 444.96

Order no.





Stool.

- seat shell plastic (010)
- load-bearing capacity up to approx. 140 kg
 fixed or 180° swivel (automatically returns to original position)
- seat height 58 cmwith plastic floor gliders
- delivered disassembled

Delivery time from stock.

Current delivery times can be found at naber.com

3031496	frame black matt, rigid, white	€ 202.50
3031497	frame black matt, rigid, taupe	€ 202.50
3031498	frame black matt, rigid, light grey	€ 202.50
3031499	frame black matt, rotatable, white	€ 218.34
3031500	frame black matt, rotatable, taupe	€ 218.34
3031501	frame black matt, rotatable, light grey	€ 218.34
Optional	accessories	
3039104	Felt floor pads 1, black	€ 3.78



















Livaro 2AC





Stool with armrests.

- front: seat and backrest fabric (100 % PES, 014)
- back: fabric (100 % PES, **015**)
- foam padded, seat: RG 28, backrest: RG 25
- abrasion resistance >40.000
- closed backrest
- max. load ca. 140 kg
- rigid or 180° rotatable (automatically returns to original position)
- total height 102 cm
- seat depth 41 cm
- seat width 40 cm
- height to top edge of armrests 81 cm
- width incl. armrests 55 cm
- seat height 69 cm
- with plastic floor glides
- assembly required

Delivery time from stock.

Current delivery times can be found at naber.com

3031583	frame black matt, rigid, cover red brown	€ 384.45
3031584	frame black matt, rigid, cover blue	€ 384.45
3031585	frame black matt, rigid, cover anthracite	€ 384.45
3031586	frame black matt, rotatable, cover red brown	€ 399.41
3031587	frame black matt, rotatable, cover blue	€ 399.41
3031588	frame black matt, rotatable, cover anthracite	€ 399.41
Optional	accessories	
3039104	Felt floor pads 1, black	€ 3.78

Order no.





3031590

















Livaro 2C



Stool.


- front: seat and backrest fabric (100 % PES, **014**)
- back: fabric (100 % PES, **015**)
- foam padded, seat: RG 28, backrest: RG 25
- abrasion resistance >40.000
- closed backrest
- max. load ca. 140 kg
- rigid or 180° rotatable (automatically returns to original position)
- seat height 67 cm
- with plastic floor glides
- assembly required

Delivery time from stock.

Current delivery times can be found at naber.com

3031589	frame black matt, rigid, cover red brown	€ 349.16
3031590	frame black matt, rigid, cover blue	€ 349.16
3031591	frame black matt, rigid, cover anthracite	€ 349.16
3031592	frame black matt, rotatable, cover red brown	€ 364.12
3031593	frame black matt, rotatable, cover blue	€ 364.12
3031594	frame black matt, rotatable, cover anthracite	€ 364.12
Optional	accessories	
3039104	Felt floor pads 1, black	€ 3.78





Sitro 2AC





- Stool with armrests.
- front: seat and backrest fabric (100% PES, 014) with pocket spring core (density 28)
- back: fabric (100 % PES, **015**)
- abrasion resistance >40,000
- closed backrest
- load-bearing capacity up to approx. 140 kg
- fixed or 180° swivel (automatically returns to original position)
- height to top edge of armrests 82 cm
- width including armrests 55 cm
- seat height 68 cm
- with plastic floor glidersdelivered disassembled

Delivery time from stock.

Current delivery time information on naber.com

3031595	frame black matt, rigid, cover red brown	€ 391.26
3031596	frame black matt, rigid, cover blue	€ 391.26
3031597	frame black matt, rigid, cover anthracite	€ 391.26
3031598	frame black matt, rotatable, cover red brown	€ 406.22
3031599	frame black matt, rotatable, cover blue	€ 406.22
3031600	frame black matt, rotatable, cover anthracite	€ 406.22
Optional	accessories	
3039104	Felt floor pads 1, black	€ 3.78

Stool.









Sitro 2C





pocket spring core (RG 28)

- back: fabric (100 % PES, **015**)
- foam padded, seat: RG 28, backrest: RG 25
- abrasion resistance >40.000
- closed backrest
- max. load ca. 140 kg
- rigid or 180° rotatable (automatically returns to original position)

- front: seat and backrest fabric (100 % PES, 014) padded with

- seat height 69 cm
- with plastic floor glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

3031601	frame black matt, rigid, cover red brown	€ 359.24
3031602	frame black matt, rigid, cover blue	€ 359.24
3031603	frame black matt, rigid, cover anthracite	€ 359.24
3031604	frame black matt, rotatable, cover red brown	€ 373.87
3031605	frame black matt, rotatable, cover blue	€ 373.87
3031606	frame black matt, rotatable, cover anthracite	€ 373.87
Optional	accessories	
3039104	Felt floor pads 1, black	€ 3.78



















Artea 2C

Stool.







- front: seat and backrest fabric (100 % PES, 014)back: fabric (100 % PES, 015)
- foam padded, seat: RG 28, backrest: RG 25
- abrasion resistance >40.000
- closed backrest
- max. load ca. 140 kg
- rigid or 180° rotatable (automatically returns to original position)
- external width 49 cm
- seat height 65 cm
- with plastic floor glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

funnas lalarak maniti minisi asayan nasi lanassa	
frame black matt, rigid, cover red brown	€ 332.61
frame black matt, rigid, cover blue	€ 332.61
frame black matt, rigid, cover anthracite	€ 332.61
frame black matt, rotatable, cover red brown	€ 348.32
frame black matt, rotatable, cover blue	€ 348.32
frame black matt, rotatable, cover anthracite	€ 348.32
	frame black matt, rigid, cover anthracite frame black matt, rotatable, cover red brown frame black matt, rotatable, cover blue





Famous 1AS





- Chair with armrests.
- front: seat and backrest fabric (100 % PES, 011) padded with pocket spring core (RG 28)
- back: artificial leather dark grey
- abrasion resistance 30.000
- closed backrest
- max. load ca. 150 kg
- frame rigid, 360° rotatable (automatically returns to original position) or 360° rotatable with rocker function
- height to top edge of armrests 65 cm $\,$
- width incl. armrests 60 cm
- seat height 51 cmwith plastic floor glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

3031300	frame black matt, rigid, oval, cover dark grey	€ 292.60
3031301	frame black matt, rigid, oval, cover brown	€ 292.60
3031302	frame black matt, rigid, oval, cover green	€ 292.60
3031303	frame black matt, rotatable, round, cover dark grey	€ 320.68
		€ 320.68
3031305	frame black matt, rotatable, round, cover green	€ 320.68
3031306	frame black matt rotatable angular cover dark grev	€ 320.68
		€ 320.68
3031308	frame black matt, rotatable, angular, cover green	€ 320.68
EW!3031502	frame oak, rotatable, cover dark grey	€ 394.54
EW ! 3031503	frame oak, rotatable, cover brown	€ 394.54
EW 3031504	frame oak, rotatable, cover green	€ 394.54
3031505	frame black matt, rotatable, rocking function, cover dark grev	€ 355.38
		€ 355.38
EW ! 3031507	frame black matt, rotatable, rocking function, cover green	€ 355.38
	3031301 3031302 3031303 3031304 3031305 3031307 3031308 IEW! 3031503 IEW! 3031504 IEW! 3031504	3031506 frame black matt, rotatable, rocking function, cover brown



Famous 1S



- front: seat and backrest fabric (100 % PES, 011) padded with pocket spring core (RG 28)
- back: artificial leather dark grey
- abrasion resistance 30.000
- closed backrest
- max. load ca. 150 kg
- frame rigid, 360° rotatable (automatically returns to original position) or 360° rotatable with rocker function
- seat height 51 cm
- with plastic floor glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

	3031309	frame black matt, rigid, oval, cover dark grey	€ 256.94
	3031310	frame black matt, rigid, oval, cover brown	€ 256.94
	3031311	frame black matt, rigid, oval, cover green	€ 256.94
	3031312	frame black matt, rotatable, round, cover dark grey	€ 285.02
	3031313	frame black matt, rotatable, round, cover brown	€ 285.02
	3031314	frame black matt, rotatable, round, cover green	€ 285.02
	3031315	frame black matt, rotatable, angular, cover dark grey	€ 285.02
	3031316	frame black matt, rotatable, angular, cover brown	€ 285.02
	3031317	frame black matt, rotatable, angular, cover green	€ 285.02
N	EW! <mark>3031508</mark>	frame oak, rotatable, cover dark grey	€ 360.80
N	W! 3031509	frame oak, rotatable, cover brown	€ 360.80
N	W! 3031510	frame oak, rotatable, cover green	€ 360.80
N	EW <mark>[</mark> 3031511	frame black matt, rotatable, rocking function, cover dark grey	€ 321.76
N	W! 3031512	frame black matt, rotatable, rocking function, cover brown	€ 321.76
N	W!3031513	frame black matt, rotatable, rocking function, cover green	€ 321.76



Brezo 1AS



Chair with armrests.

- front: seat and backrest fabric (100 % PES, **011**) with wave springs (volumetric weight 28)
- back: artificial leather dark grey
- abrasion resistance 30.000
- closed backrest
- max. load ca. 150 kg
- frame rigid, 360° rotatable (automatically returns to original position) or 360° rotatable with rocker function
- height to top edge of armrests 68 cm
- width incl. armrests 59 cm
- seat height 48 cmwith plastic floor glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

	3031336	frame black matt, rigid, oval, cover dark grey	€ 255.46
	3031337	frame black matt, rigid, oval, cover brown	€ 255.46
	3031338	frame black matt, rigid, oval, cover green	€ 255.46
	3031339	frame black matt, rotatable, round, cover dark grey	€ 284.03
	3031340	frame black matt, rotatable, round, cover brown	€ 284.03
	3031341	frame black matt, rotatable, round, cover green	€ 284.03
	3031342	frame black matt, rotatable, angular, cover dark grey	€ 284.03
	3031343	frame black matt, rotatable, angular, cover brown	€ 284.03
	3031344	frame black matt, rotatable, angular, cover green	€ 284.03
NEV	<mark>V!</mark> 3031514	frame oak, rotatable, cover dark grey	€ 359.50
NEV	<mark>V!</mark> 3031515	frame oak, rotatable, cover brown	€ 359.50
NEV	<mark>VI</mark> 3031516	frame oak, rotatable, cover green	€ 359.50
NEV	<mark>VI</mark> 3031517	frame black matt, rotatable, rocking function, cover dark grey	€ 320.59
NEV	<mark>VI</mark> 3031518	frame black matt, rotatable, rocking function, cover brown	€ 320.59
NEV	<mark>VI</mark> 3031519	frame black matt, rotatable, rocking function, cover green	€ 320.59



Brezo 1S



- back: artificial leather dark grey

(volumetric weight 28)

- abrasion resistance 30.000
- closed backrest
- max. load ca. 150 kg
- frame rigid, 360° rotatable (automatically returns to original position) or 360° rotatable with rocker function
- seat height 48 cm
- with plastic floor glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

	3031345	frame black matt, rigid, oval, cover dark grey	€ 219.33
	3031346	frame black matt, rigid, oval, cover brown	€ 219.33
	3031347	frame black matt, rigid, oval, cover green	€ 219.33
	3031348	frame black matt, rotatable, round, cover dark grey	€ 247.06
	3031349	frame black matt, rotatable, round, cover brown	€ 247.06
	3031350	frame black matt, rotatable, round, cover green	€ 247.06
	3031351	frame black matt, rotatable, angular, cover dark grey	€ 247.06
	3031352	frame black matt, rotatable, angular, cover brown	€ 247.06
	3031353	frame black matt, rotatable, angular, cover green	€ 247.06
N	W! 3031520	frame oak, rotatable, cover dark grey	€ 325.21
N	W! 3031521	frame oak, rotatable, cover brown	€ 325.21
N	W! 3031522	frame oak, rotatable, cover green	€ 325.21
N	W! 3031523	frame black matt, rotatable, rocking function, cover dark grey	€ 285.80
N	W! 3031524	frame black matt, rotatable, rocking function, cover brown	€ 285.80
N	W! 3031525	frame black matt, rotatable, rocking function, cover green	€ 285.80



Stella 1AS



Chair with armrests.

- front: seat and backrest fabric (100 % PES, **011**) with wave springs (volumetric weight 28)
- back: artificial leather dark grey
- abrasion resistance 30.000
- closed backrest
- max. load ca. 150 kg
- frame rigid or 360° rotatable (automatically returns to original position)
- height to top edge of armrests 65 cm
- width incl. armrests 60 cm
- seat height 47 cm
- with plastic floor glidesassembly required

Delivery time from stock.

Current delivery time information on naber.com

frame black matt, rigid, oval, cover dark grey	€ 274.83
frame black matt, rigid, oval, cover brown	€ 274.83
frame black matt, rigid, oval, cover green	€ 274.83
frame black matt, rotatable, round, cover dark grey	€ 302.91
frame black matt, rotatable, round, cover brown	€ 302.91
frame black matt, rotatable, round, cover green	€ 302.91
frame black matt, rotatable, angular, cover dark grey	€ 302.91
frame black matt, rotatable, angular, cover brown	€ 302.91
frame black matt, rotatable, angular, cover green	€ 302.91
frame oak, rotatable, cover dark grey NEW!	€ 377.73
frame oak, rotatable, cover brown NEW!	€ 377.73
frame oak, rotatable, cover green NEW!	€ 377.73
	frame black matt, rigid, oval, cover brown frame black matt, rigid, oval, cover green frame black matt, rotatable, round, cover dark grey frame black matt, rotatable, round, cover brown frame black matt, rotatable, round, cover green frame black matt, rotatable, angular, cover dark grey frame black matt, rotatable, angular, cover brown frame black matt, rotatable, angular, cover green frame oak, rotatable, cover dark grey NEW!



Stella 1S



Chair.

- front: seat and backrest fabric (100 % PES, 011) with wave springs (volumetric weight 28)
- back: artificial leather dark grey
- abrasion resistance 30.000
- closed backrest
- max. load ca. 150 kg
- frame rigid or 360° rotatable (automatically returns to original position)
- seat height 47 cm
- with plastic floor glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

3031381	frame black matt, rigid, oval, cover dark grey	€ 252.34
3031382	frame black matt, rigid, oval, cover brown	€ 252.34
3031383	frame black matt, rigid, oval, cover green	€ 252.34
3031384	frame black matt, rotatable, round, cover dark grey	€ 280.42
3031385	frame black matt, rotatable, round, cover brown	€ 280.42
3031386	frame black matt, rotatable, round, cover green	€ 280.42
3031387	frame black matt, rotatable, angular, cover dark grey	€ 280.42
3031388	frame black matt, rotatable, angular, cover brown	€ 280.42
3031389	frame black matt, rotatable, angular, cover green	€ 280.42
3031532	frame oak, rotatable, cover dark grey NEW!	€ 356.30
3031533	frame oak, rotatable, cover brown NEW!	€ 356.30
3031534	frame oak, rotatable, cover green NEW!	€ 356.30



Livaro 1AC






- Chair with armrests.
- front: seat and backrest fabric (100% PES, **014**)
- back: fabric (100 % PES, **015**)
- foam padding, seat: density 28, backrest: density 25
- abrasion resistance >40,000
- closed backrest
- load-bearing capacity up to approx. 150 kg
- frame rigid, 360° rotatable (automatically returns to original position) or 360° rotatable with rocker function
- height to top edge of armrests 65 cm $\,$
- width including armrests 62 cm
- seat height 50 cmwith plastic floor gliders
- delivered disassembled

Delivery time from stock.

Current delivery time information on naber.com

3031538	frame black matt, rigid, oval, cover red brown	€ 348.74
3031539	frame black matt, rigid, oval, cover blue	€ 348.74
3031540	frame black matt, rigid, oval, cover anthracite	€ 348.74
3031541	frame black matt, rotatable, round, cover red brown	€ 375.21
	frame black matt, rotatable, round, cover blue	€ 375.21
3031543	frame black matt, rotatable, round, cover anthracite	€ 375.21
3031544	frame black matt, rotatable, angular, cover red brown	€ 375.21
3031545	frame black matt, rotatable, angular, cover blue	€ 375.21
3031546	frame black matt, rotatable, angular, cover anthracite	€ 375.21
3031547	frame oak, rotatable, cover red brown	€ 466.81
3031548	frame oak, rotatable, cover blue	€ 466.81
3031549	frame oak, rotatable, cover anthracite	€ 466.81
3031550	frame black matt, rotatable, rocking function, cover red brown	€ 427.73
3031551	frame black matt, rotatable, rocking function, cover blue	€ 427.73
3031552	frame black matt, rotatable, rocking function, cover anthracite	€ 427.73



Sitro 1AC





- front: seat and backrest fabric (100 % PES, 014) padded with pocket spring core (RG 28)
- back: fabric (100 % PES, **015**)
- abrasion resistance >40.000
- closed backrest
- max. load ca. 150 kg
- frame rigid, 360° rotatable (automatically returns to original position) or 360° rotatable with rocker function
- height to top edge of armrests 67,5 cm
- width incl. armrests 61 cm
- seat height 52 cmwith plastic floor glides
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

3031568	frame black matt, rigid, oval, cover red brown	€ 362.44
3031569	frame black matt, rigid, oval, cover blue	€ 362.44
3031570	frame black matt, rigid, oval, cover anthracite	€ 362.44
3031571	frame black matt, rotatable, round, cover red brown	€ 388.95
3031572	frame black matt, rotatable, round, cover blue	€ 388.95
3031573	frame black matt, rotatable, round, cover anthracite	€ 388.95
3031574	frame black matt, rotatable, angular, cover red brown	€ 388.95
3031575	frame black matt, rotatable, angular, cover blue	€ 388.95
3031576	frame black matt, rotatable, angular, cover anthracite	€ 388.95
3031577	frame oak, rotatable, cover red brown	€ 480.59
3031578	frame oak, rotatable, cover blue	€ 480.59
3031579	frame oak, rotatable, cover anthracite	€ 480.59
3031580	frame black matt, rotatable, rocking function, cover red brown	€ 441.43
3031581	frame black matt, rotatable, rocking function, cover blue	€ 441.43
3031582	frame black matt, rotatable, rocking function, cover anthracite	€ 441.43



Artea 1C





- Chair.
- front: seat and backrest fabric (100% PES, **014**)
- back: fabric (100 % PES, **015**)
- foam padding, seat: density 28, backrest: density 25
- abrasion resistance >40,000
- closed backrest
- load-bearing capacity up to approx. 150 kg
- frame rigid, 360° rotatable (automatically returns to original position) or 360° rotatable with rocker function
- outer seat width 50 cm
- seat height 49 cm
- with plastic floor glidersdelivered disassembled

Delivery time from stock.

Current delivery time information on naber.com

3031553	frame black matt, rigid, oval, cover red brown	€ 277.82
3031554	frame black matt, rigid, oval, cover blue	€ 277.82
3031555	frame black matt, rigid, oval, cover anthracite	€ 277.82
3031556	frame black matt, rotatable, round, cover red brown	€ 305.88
3031557	frame black matt, rotatable, round, cover blue	€ 305.88
3031558	frame black matt, rotatable, round, cover anthracite	€ 305.88
3031559	frame black matt, rotatable, angular, cover red brown	€ 305.88
3031560	frame black matt, rotatable, angular, cover blue	€ 305.88
3031561	frame black matt, rotatable, angular, cover anthracite	€ 305.88
3031562	frame oak, rotatable, cover red brown	€ 391.72
3031563	frame oak, rotatable, cover blue	€ 391.72
3031564	frame oak, rotatable, cover anthracite	€ 391.72
3031565	frame black matt, rotatable, rocking function, cover red brown	€ 361.47
3031566	frame black matt, rotatable, rocking function, cover blue	€ 361.47
3031567	frame black matt, rotatable, rocking function, cover anthracite	€ 361.47

1045

1035



Livia SE Duo stainless steel

NEW! Rost free

Standing table frame, square.

- pipe 80 x 80 mm
- base plate 700 x 450 mm
- incl. adjustable feet to compensate for uneven floors
- mounting cross 800 x 400 mm
- for table top max. 1400 x 700 mm (not included in the scope of delivery)
- height 1080 mm
- supports up to approx. 70 kg
- cannot be shortened
- not suitable for granite tops
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

3036444 H 1080 mm

€ 406.82



1080

Livia SE Duo black



Standing table frame, square.

- pipe 80 x 80 mm
- base plate 700 x 400 mm
- incl. adjustable feet to compensate for uneven floors
- mounting cross 680 x 330 mm
- powder coated with rough structure
- powder coated with rough structure
 for table top max. 1400 x 700 mm (not included in the scope of delivery)
- height 1080 mm
- supports up to approx. 70 kg
- not suitable for granite tops
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

3036445 H 1080 mm

€ 332.82




Livia SE stainless steel

- Standing table frame, square.
- pipe 80 x 80 mm
- base plate 450 x 450 mm
- incl. adjustable feet to compensate for uneven floors
- mounting cross 500 x 500 mm
- for table top max. 800 x 800 mm (not included in the scope of delivery)
- height 1080 mm
- supports up to approx. 50 kg
- cannot be shortened
- not suitable for granite tops
- assembly required

Delivery time from stock.

Current delivery time information on naber.com



3036446 H 1080 mm


€ 258.82

NEW!



80 455 1080 1035

Livia SE black






- base plate 500 x 500 mm
- incl. adjustable feet to compensate for uneven floors
- mounting cross 455 x 455 mm
- powder coated with rough structure
- for table top max. 800 x 800 mm (not included in the scope of delivery)
- height 1080 mm
- supports up to approx. 50 kg
- not suitable for granite tops
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

3036447 H 1080 mm

€ 258.82



Livia SR stainless steel



Table frame, round.

- pipe Ø 80 mm
- base plate Ø 450 mm
- incl. adjustable feet to compensate for uneven floors
- mounting cross 500 x 500 mm
- for table top max. Ø 800 mm (not included in the scope of delivery)
- height 1080 mm
- supports up to approx. 40 kg
- cannot be shortened
- not suitable for granite tops
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

3036448 H 1080 mm

€ 240.32



1080

1035

Livia SR black



Standing table frame, round.

- pipe $\breve{\varnothing}$ 75 mm
- base plate Ø 450 mm
- incl. adjustable feet to compensate for uneven floors
- mounting cross 455 x 455 mm
- powder coated with rough structure
- for table top max. 600 x 600 mm (not included in the scope of delivery)
- height 1080 mm
- supports up to approx. 40 kg
- not suitable for granite tops
- assembly required

Delivery time from stock.

Current delivery time information on naber.com

3036449 H 1080 mm

€ 184.82



Medley

NEW!


X-Table frame. Optionally as a table frame (packaging unit 2) or support frame (packaging unit 1) for add-on tables.

- pipe 80 x 80 mm
- incl. adjustable feet to compensate for uneven floors (plus 10 mm height adjustment)
- for table top max. 3000 x 1200 mm (not included in the scope of delivery)
- upper mounting plate 680 x 100 mm
- **720** x 680 x 1500 mm (**H** x W x L)
- supports up to approx. 150 kg/pair
- not suitable for granite tops

Delivery time 3-4 weeks.

Current delivery time information on naber.com





€ 599.75

NEW!



X-Table frame.




- incl. adjustable feet to compensate for uneven floors (plus 10 mm height adjustment)
- for table top max. 1800 x 900 mm (not included in the scope of delivery)
- upper mounting plate 1230 x 730 mm
- **720** x 730 x 1230 mm (**H** x W x L)
- supports up to approx. 60 kg/pair
- not suitable for granite tops

Delivery time from stock.

Current delivery time information on naber.com


Expected to be available from January 2026.



3036452 black matt

€ 249.58

Notes



General Terms of Sale B2B

Version 01/2025

I. Scope of application

- 1. The following Terms of Sale shall apply for all contracts concluded between the purchaser and us concerning the delivery of goods if the purchaser is a company (§ 14 German Civil Code [Bürgerlichesgesetzbuch, BGB]). These Terms also apply for all future contracts concerning the delivery of goods even if they are not expressly mentioned again. Conflicting terms of the purchaser that we do not expressly recognize are not binding for us even if we do not expressly contradict such terms. The following Terms of Sale shall also then apply if we carry out the purchaser's order without reservation and with knowledge of the contradictory or differing terms of the purchaser.
- 2. All agreements that were entered into between the purchaser and us for performing the purchase contracts are documented in writing in the contracts. The parties shall confirm all oral agreements in writing. If contracts are set out in both the German and also a foreign language, in the case of a dispute, the German language version is determinative.

II. Offer and contract conclusion

- 1. We can accept a purchaser's order that is to be qualified as an offer to conclude a purchase contract within two weeks—for an order in the Naber dealer portal, 5 working days—by transmitting an order confirmation or by sending ordered products within the same time limit. The purchaser is bound to the purchaser's order for this time period.
- Our offers are subject to change and nonbinding unless we have expressly identified them as bindina.
- 3. All oral and written information concerning possible applications and the suitability of all goods are carried out to the best of our knowledge. However, this information only represents our historical experience, which cannot be deemed to be consistently warranted. This information does not form the basis for any claims against us. In particular, the purchaser is not relieved of the duty of ensuring by means of the purchaser's own inspection that the goods are suitable for the purchaser's intended use.
- 4. We reserve all rights of ownership, copyright and other industrial property rights in images, calculations, drawings, sample books, catalogs and other documents. The purchaser may only transfer these to a third-party with our prior written consent irrespective of whether we have designated these items to be confidential.

III. Payment terms

- 1. All prices apply ex works without packaging and must be paid in Euros if not otherwise set out in our order confirmation. The statutory value added tax is not included in our prices. This will be separately disclosed in the invoice at the statutory amount on the date of invoicing.
- 2. The purchase price is due 10 days after the invoice is sent (invoice date) less a 2% discount, atherwise net (without discount) 30 days after the invoice date provided that no different payment target follows from the order confirmation. A payment is not deemed to have taken place until the funds are available for our use. In the event of payments by check, the payment is not deemed to have taken place until the check is cashed. For new customers we reserve the right to deliver against cash on delivery less a 2% discount. For orders with a value of goods up to € 50.00 net, we reserve a minimum quantity surcharge of € 6.50. In the case of a contract included with an agreement of "advance payment", the purchase price is due 10 days after the invoice date.
- 3. If the purchaser is in default in making payment, the statutory provisions shall apply (§ 288 BGB).
- 4. The purchaser is only entitled to set-off, even if a notice of defects or counterclaims are asserted, if the counterclaims have been conclusively adjudicated or are undisputed. The purchaser is only authorized to exercise a right of retention if the counterclaim is based on the same contractual relationship.
- 5. We reserve the right to request payment security and/or advance payments.
- 6. If the purchaser is in default of payment or if there is reasonable doubt concerning purchaser's ability to pay, we are entitled to declare all claims against purchaser as due for payment and/or to retain as yet outstanding deliveries in their entirety or in part or to withdraw from the existing contracts entirely.

IV. Delivery and performance times, liability for delivery delays

- Delivery dates or time limits that have not been expressly agreed to be binding are solely non-binding declarations. The delivery time stated by us shall not commence prior to complete clarification of the order and clarification of all technical questions. The purchaser must likewise properly and timely fulfill all obligations incumbent upon purchaser.
- 2. Force majeure cases, e.g. labor disputes, civil unrest as well as other unforeseeable damaging events for which we are not responsible, extend the delivery time period for the duration of the disruption insofar as the disruption demonstrably influences our ability to render the service. This also applies if these circumstances occur for our suppliers. If the disruption lasts for longer than four weeks subsequent to the expiration of the originally agreed scheduled date, each contracting party can withdraw from the contract. The withdrawal extends to the part of the contract not yet fulfilled, unless the partial performance to be provided is not usable by purchaser. No compensatory damage daims accrue to the purchaser from this situation.
- If the underlying purchase contract involves a transaction for delivery by a fixed date within the meaning of the BGB or the Commercial Code [Handelsgesetzbuch, HGB], we

- are liable according to the statutory provisions. The same applies if the purchaser is entitled, as a consequence of a delayed delivery for which we are responsible, to assert the discontinuation of his interest in the further fulfillment of the contract. In this case our liability is limited to the foreseeable, typically occurring damages if the delayed delivery is not based on an intentional violation of the contract for which we are responsible. We shall likewise be liable to the purchaser for delayed delivery according to the statutory provisions if this delay is based on an intentional or grossly negligent violation of the contract for which we are responsible. Our liability is limited to the foreseeable, typically occurring damages if the delayed delivery is not based on an intentional violation of the contract for which we are responsible. In any case the occurrence of a delay requires a reminder notice from purchaser.
- 4. Otherwise, in the event of a delivery delay for which we are responsible, purchaser can request a flat amount of compensation in the amount of 0.5 % of the value of goods to be delivered, however a maximum of no more than 5 % of the value of goods to be delivered.
- 5. Any further liability for a delivery delay for which we are responsible is precluded.
- 6. We are at all times entitled to make partial deliveries and carry out partial performance insofar as this is reasonable for the customer.
- 7. In the case of an agreement for "advance payment", we are not obligated to make the delivery until the funds invoiced are available for our use.

V. Transfer of risk, delay in acceptance, shipping/packaging

- 1. Loading and shipping are at the purchaser's risk. The regulations concerning a sale by delivery to a place other than the place of performance according to § 447 BGB shall apply even if the shipment is undertaken with our means of transport or by our employees.
- 2. We shall make every effort to take into consideration the wishes and interests of the purchaser with respect to the type of shipment and route; additional expenditures thereby required—also in the case of an agreed freight paid delivery—shall be at the purchaser's expense. A transportation insurance policy shall be concluded for the shipment if the purchaser expressly requests this with the order. The costs shall be billed to the purchaser and separately set out in the invoice.
- 3. We will not take back transportation packaging and all other packaging according to the packaging regulation, excepted from this are pallets. Purchaser must ensure the disposal of the packaging at its own expense.
- 4. If the shipment is delayed at the purchaser's request or due to the purchaser's fault, we will then store the goods at the expense and risk of purchaser. In this case a notice of readiness to dispatch is equivalent to shipment.
- 5. If the purchaser delays acceptance, we are then entitled to request compensation for the resulting damages and any additional expenditures. The same applies if the purchaser culpably violates duties of cooperation. With the occurrence of a delay in acceptance or the delayed payment of a debt on the part of the purchaser, the risk of accidental deterioration and loss of the goods passes to the purchaser.
- 6. We shall not assume any costs for returns that are not agreed with us in advance in writing or returns that are not expressly recognized as legitimate after evaluation of the reason for the return (e.g. incorrect delivery, defects, etc.). Should we incur costs for returns that are not agreed or not legitimate, we shall bill the purchaser/sender in the amount of the actually incurred third-party costs as well as our own costs.

VI. Warranty/liability

- 1. We do not assume any warranty for defects that arise due to natural wear and tear, faulty or negligent treatment, improper storage, inappropriate or improper use or nonobservance of the processing and use instructions. If the delivery takes place according to drawings, specifications, samples, etc. of purchaser, the purchaser assumes the risk of their suitability for the intended use.
- 2. The purchaser's claims for defects shall only exist if purchaser has properly complied with purchaser's duties of inspection and providing notice of defects. Therefore, purchaser is obligated to promptly provide notice of apparent defects in the goods upon receipt. In the case of hidden defects that purchaser cannot ascertain upon receipt of the goods, purchaser must promptly give notice of defects subsequent to their discovery.
- 3. In the case of a complaint, we are entitled at our option to request that purchaser send us the rejected goods for inspection or for subsequent performance or make the rejected goods available to us. We shall only bear the costs of this shipment in the case of a leaitimate complaint.
- 4. In the case of a defect we are entitled to carry out the subsequent performance of our choice by means of a replacement delivery or by repairing the defective goods within a reasonable grace period. There is no duty of subsequent performance insofar as we are authorized to refuse subsequent performance on the basis of statutory provisions. In our selection of the type of subsequent performance, we must take into consideration the type of defect and the legitimate interests of the purchaser. We shall bear the expenses necessary for the purpose of subsequent performance. We shall not bear the additional cost that arises thereby that the goods have been transported to a different location than the place of performance or the registered commercial offices of the ordering party unless this transport is in conformity with the intended use of the goods.

- 5. If the subsequent performance fails, purchaser can elect a decrease in the purchase price (reduction) or declare purchaser's withdrawal from the contract. If the purchaser withdraws from the contract, purchaser is not entitled to an additional claim for compensation for damages unless we are responsible for the defect due to intentional acts or gross negligence. If only part of the delivery of goods is defective, purchaser can only then withdraw from the entire contract if purchaser does not have any interest in the remaining part of the delivery.
- 6. Purchaser's claim for recourse by virtue of warranty claims and rights arising from consumer goods purchase contracts (§§ 474, 478 BGB), may only be asserted against us by purchaser to the extent that purchaser is obligated to satisfy warranty claims and rights towards purchaser's customers on the basis of statutory provisions. The claim for recourse against us is excluded to the extent that purchaser has a warranty or liability obligation towards purchaser's customers in the absence of a legal obligation, in particular, as a gesture of goodwill or on the basis of special assurances or guarantees of the purchaser.
- 7. The claims and rights owing to a defect in the goods may only be asserted by purchaser within the warranty period of twelve months after delivery of the goods. This does not apply for claims and rights for which longer notice periods are mandatorily prescribed according to § 438 paragraph 1 No. 2 BGB for construction, and objects for construction (construction materials) or according to § 445b BGB for the recourse claims of a company.
- 8. We are liable according to statutory provisions for damages to life, the body and health that are based on a negligent or intentional violation of duties by us or our legal representatives or our vicarious agents as well as for damages that are encompassed by liability under the Product Liability Act. We are liable according to statutory provisions for damages that are not comprehended by sentence 1 and that are based on intentional or grossly negligent contract violations as well as deceit by us, our legal representative or our vicarious agents. However, in this case the liability for compensatory damages is limited to foreseeable, typically occurring damages insofar as we, our legal representative or our vicarious agents did not act intentionally. To the extent that we have provided a guarantee of quality and/or durability with reference to the goods or parts thereof, we shall also be liable within the framework of this guarantee. However, for damages that are based on a lack of quality or durability as guaranteed, but that do not occur directly with regard to the goods, we are only then liable if the risk of such damages is obviously comprehended by the guarantee of quality and durability.
- 9. We are also liable for damages that are caused by simple negligence insofar as the negligence is related to the violation of those contractual obligations the observance of which are of particular importance for achieving the purpose of the contract (material obligations). In this case, however, our liability is restricted to typically foreseeable damages.
- 10. Any further liability is excluded without considering the legal nature of the claim asserted; this also applies in particular for tort claims, for claims for reimbursement of futile expenditures in place of performance, or for compensation claims for lost profits. Insofar as our liability is excluded or limited, this shall also apply for the personal liability of our personnel, employees, staff, representatives and vicarious agents.
- 11. Purchaser's compensatory damage claims on account of a defect are time-barred one year after delivery of the goods. This shall not apply in the case of injuries to life, the body, or health for which we, our legal representatives or our vicarious agents are at fault or if we or our legal representatives have acted in an intentional or grossly negligent manner, or if our ordinary vicarious agents have acted intentionally.
- 12. Our sales representatives and commercial agents are not authorized to make legally binding statements with regard to defects and warranty claims for us.

VII. Retention of Title

- 1.a) The delivered goods (goods subject to retention of title) remain our property (extended retention of title) until all claims are satisfied against the purchaser, including all outstanding balance claims from a current account to which we are entitled arising from the order and the entire business relationship.
- 1.b) To the extent that an extended retention of title is not applicable in the country in which the purchaser has its registered office, the delivered goods remain our property (ordinary retention of title) until all claims to which we are entitled against the purchaser from the respective order have been satisfied, including taxes, charges or transportation costs.
- 2. In the case of purchaser's conduct contrary to the contract, e.g. delayed payment, we are entitled to take back the goods subject to retention of title after setting a reasonable time limit in advance; if it is unnecessary to set a time limit according to the provisions of the law, we are also entitled to demand the return of the goods subject to a retention of title without a grace period. If we take back the goods subject to a retention of title, this represents a withdrawal from the contract. If we levy execution against the goods subject to a retention of title, this is a withdrawal from the contract. We are entitled to realize on the sale of the goods subject to a retention of title subsequent to taking them back. After deducting a reasonable amount for the cost of realizing the sale, the proceeds from the sale shall be settled against the amounts owed to us by purchaser.
- Purchaser shall treat the goods subject to a retention of title with care and sufficiently
 insure these goods at their original value against losses due to fire, water damage and
 theft. Maintenance and inspection work that become necessary must be timely carried

- out by purchaser at purchaser's expense.
- 4. The purchaser is authorized to sell and/or use the goods subject to a retention of title in the ordinary course of business as long as purchaser is not in default in payment. Pledging and transfers by way of security are impermissible. Claims arising from resale of the processed or unprocessed goods subject to a retention of title, or arising for another legal reason (insurance, unlawful acts) with respect to the goods subject to a retention of title (including all outstanding balance claims from a current account) are already transferred by purchaser to us as security in the amount of the final invoice amount (including VAT) for our claims against the purchaser; we hereby accept the assignment. We revocably authorize purchaser to collect the claims assigned to us in the name of purchaser and for purchaser's account. This collection authorization can be revoked at any time if purchaser does not properly comply with purchaser's payment obligations.
- 5. For the purpose of assigning this claim, purchaser is also not authorized to collect claims by way of factoring unless an obligation of the factoring party is at the same time created to directly effectuate payment of consideration to us in the amount of the claims for as long as our claims against the purchaser exist.
- 6. Processing or reshaping the goods subject to a retention of title by purchaser shall in any case be undertaken for us. If the goods subject to a retention of title are processed with other items not owned by us, we shall acquire joint ownership in the new item proportional to the value of the goods subject to a retention of title (final invoice amount including value added tax) along with the other processed items on the date of processing. The same shall apply for the new item emerging from the processing as for the goods subject to a retention of title. In the case of the inseparable combination of the goods subject to a retention of title with other items not owned by us, we shall acquire joint ownership in the new item proportional to the value of the goods subject to a retention of title (final invoice amount including value added tax) along with the other combined items on the date on which they are combined. If the purchaser's item is to be viewed as the primary item as a consequence of this combining, the purchaser and we agree that purchaser transfers proportional joint ownership to us in the item; we hereby accept this transfer. Purchaser shall preserve the sole or joint ownership in the item arising in this manner for us.
- 7. In the event of attachment by third parties against the goods subject to a retention of title, in particular, levies of execution, purchaser shall call attention to our ownership and immediately inform us so that we may enforce our rights of ownership. To the extent that the third-party is not in the position to reimburse us for the court and out-of-court expenses arising in this connection, purchaser is liable therefor.
- 8. We are obligated to release the security to which we are entitled to the extent that the realizable value of our security exceeds the claims to be secured by more than 10%; in so doing, the selection of the security to be released is at our discretion.

VIII. Images and dimensions

Images, Technical information and dimensions in brochures and price lists shall not be deemed to be a binding agreement and not a promised characteristic. These only represent approximate values. Binding information can be provided in an individual case upon request. Special suitability may not be taken from the images and dimensions. We expressly reserve the right to make modifications.

${\sf IX.\,Place\,of\,performance,\,venue,\,applicable\,law}$

- The place of performance for deliveries and payments (including actions regarding checks and bills of exchange), is, if not otherwise expressly specified, our registered office in Nordhorn.
- The exclusive local jurisdiction and international court of competent jurisdiction is in the location of our registered office in Nordhorn (Germany). However, we are also authorized to sue the purchaser in purchaser's place of general jurisdiction (domicile or registered office).
- 3. The business relations between the contracting parties are regulated exclusively according to the law applicable in the Federal Republic of Germany excluding international private law (Introductory Statute to the Civil Code [Einführungsgesetz zum Bürgerlichen Gesetzbuch], EGBGB). The application of the UN Convention on Contracts for the International Sale of Goods is excluded.
- 4. Should a provision of these general Terms of Sale (or within the framework of other agreements) be or become invalid or unenforceable entirely or in part, this shall not affect the validity of all other provisions or agreements. The contracting parties hereby commit to replace the invalid or unenforceable provision or agreement with a valid or enforceable provision or agreement most closely in conformity with the commercial provisions.
- 5. The headings for the individual regulations of these delivery and payment terms only serve to provide a better orientation and do not have any independent substantive content and no legal significance
- The purchaser's data related to the business transactions with purchaser shall be processed according to the Federal Data Protection Act.

X. Precedence of the German version

If these Terms of Sale exist in different languages, the German version is solely decisive for clarifying questions of interpretation.

Naber GmbH

Managing Directors: Ingrid Naber, Hans-Joachim Naber and Lasse Naber









Ceramic flush-mounted, slate



Ceramic substructure, lava

NABER-CONTURA® SILQUA – Composite surface-mounted, Earth Agate

Naber GmbH Development · Production · Distribution

Enschedestr. 24 48529 Nordhorn Germany Tel. +49 5921 704-0 Fax +49 5921 704-140

naber@naber.com www.naber.com

