


## Cox<sup>®</sup> Base Q 360 S/400-1

Product number: 8013347

Configuration: anthracite, H 360 mm

### Configuration options

8013347 | anthracite, H 360 mm



- ✓ Front pull-out system
- ✓ full pull-out
- ✓ 22 l

Suitable for the Quooker Cube cold water reservoir and the Pro3 boiling water reservoir.

For positioning in a sink base unit with a width of 600 mm.

- simple, quick and flexible installation
- positioning of the reservoirs on the left or on the right of the Cox<sup>®</sup> Base possible
- sturdy construction for mounting on the cabinet side wall, front panel and on the underside
- integrated hose and cable management
- simple replacement of the CO<sub>2</sub> cylinder
- Quooker system can be set up and connected in front of the cabinet. The extension hoses required for this are listed below as accessories and can be ordered directly from Quooker.
- waste volume 22 litres
- waste system with soft retraction and damping


[more infos...](#)

### Technical data

Article type	Waste collection system	Lid type(s)	Complete lid
Height	500 mm	Number of containers	1
Width	600 mm	Opening technology	full pull-out
CE marking on the product	No	Total volume	22 l
Mounting/Fixing	side wall front panel cabinet bottom	Volume/content container 1	22 l
Further	integrated hose and cable management simple replacement of the CO <sub>2</sub> cylinder positioning of the reservoirs on the left or on the right of the Cox <sup>®</sup> Base possible	Soft closing	Yes
Cabinet width	600 mm	Colour guide	anthracite
Shape	angular	Colour container lid	anthracite
Frame colour	anthracite	Design	Front pull-out system
Material container	plastic	Volume/Content container	22
Colour total cover	anthracite	Rear wall height	500 mm
Cover	Yes	Locking mechanism	With damper

**Accessories**

1051017	Space-saving connector, Drain pipe, white
8013367	Holder for CUBE filter, Accessory,

**Spare Parts**

8013349	Frame, Accessory, anthracite
8013153	Complete lid, Accessory, anthracite
8013322	Cox® system container, Single bucket, anthracite, 22 liters

